

CROWN INDUSTRIAL PRODUCTS CO -- DRY FILM LUBRICANT 6075 -- 9150-01-148-7155

=====
Product Identification
=====

Product ID: DRY FILM LUBRICANT 6075

MSDS Date: 01/18/1991

FSC: 9150

NIIN: 01-148-7155

MSDS Number: BGNBYB

=== Responsible Party ===

Company Name: CROWN INDUSTRIAL PRODUCTS CO

Address: HWY 47 N

Box: 350

City: HEBRON

State: IL

ZIP: 60034

Country: US

Info Phone Num: 815-648-2424 / FAX 815-648-4090

Emerg

ency Phone Num: 815-648-2424

Preparer's Name: ROBERT E. BEYTON

CAGE: 92381

=== Contractor Identification ===

Company Name: CROWN INDUSTRIAL PRODUCTS CO

Address: HWY 47 N

Box: 350

City: HEBRON

State: IL

ZIP: 60034

Country: US

Phone: 815-648-2424

CAGE: 92381

Company Name: GOVERNMENT PROCUREMENT SPECIALISTS INC

Address: 5845 OAKBROOK PKY

Box: City: NORCROSS

State: GA

ZIP: 30093

Country: US

Phone: 404-416-0761

CAGE: 0K2Y0

Company Name: MILNUCORP INC

Address: 3220-A INDUSTRIAL WAY

Box: City: SNELLVILLE

State: GA

ZIP: 30039

Cou

ntry:US
Phone:404-524-3181 / FAX: 770-736-5094
CAGE:0RY69

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Fraction by Wt: 51-70%
Other REC Limits:NONE SPECIFIED
OSHA PEL:350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III)
CAS:76-13-1
RTEC
S #:KJ4000000
Fraction by Wt: 1-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000PPM/1250STEL
ACGIH TLV:1000PPM/1250STEL9192
Ozone Depleting Chemical:1

Ingred Name:HYDROCARBON PROPELLANT
CAS:68476-86-8
Fraction by Wt: 31-50%
Other REC Limits:NONE SPECIFIED

Ingred Name:ISOBUTANE AND PROPANE MIXTURE (USES AS PROPELLANT)
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN(TPROPANE)

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health

Hazards Acute and Chronic: EYES: POSSIBLE IRRITATION; SKIN: SHORT CONTACT, NO IRRITATION, PROLONGED OR REPEATED CONTACT, MINOR TO MILD IRRITATION, VERY LOW TOXICITY; INHALATION: SHORTNESS OF BREATH, DIZZINESS, LIGHT HEADEDNESS. ANESTHETIC EFFECTS MAY OCCUR AT HIGH CONCENTRATIONS; INGESTION: MAY CAUSE CHEMICAL PNEUMONIA IF ASPIRATED INTO LUNGS. SEE OTHER PRECAU

Explanation of Carcinogenicity: NOT LISTED

Effects of Overexposure: SEE HEALTH HAZARDS

Medical Cond Aggravated by Exposure: MAY CAUSE MYOCARDIAL IRRITABILITY.

AVOID EPINEPHRINE OR SIMILAR DRUGS IF AT ALL POSSIBLE.

=====
===== First Aid Measures =====

First Aid: INHAL: RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE: IMMED FLUSH W/PLENTY OF WATER. SKIN: WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST: DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====
===== Fire Fighting Measures =====

Flash Point: N/R

, AEROSOL

Lower Limits: 1.8

Upper Limits: 9.5

Extinguishing Media: CO*2, DRY CHEMICAL, FOAM,

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: TREAT AS CYLINDERS OF COMPRESSED GAS.

=====
===== Accidental Release Measures =====

Spill Release Procedures: USE PROPER PERSONAL PROTECTIVE EQUIPMENT. REMOVE ALL SOURCE S OF IGNITION. USE INERT MATERIALS AND PLACE IN SUITABLE CONTAINER.

=====
===== Handling and Storage =====

Handling and Storage Precautions: DO NOT STR IN DIRECT SUNLIGHT, OPN FLAMS OR TEMPS. ABOV. 120F. USE AS DIRECTD. INTENTIONL MISUSE BY DELIBTLY CONC. VAPORS&INHLNG CAN BE HARMFUL OR FATAL.

Other Precautions: AVOID CONTCT W/EYES. SKIN. DO NOT BREATH VAPS. PROLONGD EXPSR. ABOV. OSHA PERMSBL. LIMITS MAY RESULT IN KIDNEY&LIVER DAMAGE.

=====
===== Exposure Cont

rols/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR IF TLV IS EXCEEDED.

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN 1.

Evaporation Rate & Reference: