

EASTMAN KODAK COMPANY -- 187-9840 RP X-OMAT DEVELOPER STARTER -- 6525-01-149-8074

=====  
Product Identification  
=====

Product ID:187-9840 RP X-OMAT DEVELOPER STARTER

MSDS Date:01/01/1985

FSC:6525

NIIN:01-149-8074

MSDS Number: BGNYSW

==== Responsible Party ====

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Emergency

Phone Num:716-722-5151

CAGE:19139

==== Contractor Identification ====

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000

OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====  
Haz

ards Identification =====

Effects of Overexposure:DIRECT CONTACT IN EYES OR ON SKIN MAY CAUSE BURNS.

===== First Aid Measures =====

First Aid:FLUSH EYES IMMED WITH H\*2O FOR 15 MIN. CALL MD. FLUSH SKIN WITH WATER.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:NONE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:NEUTRALIZE WITH SODIUM BICARBONATE OR SODA ASH.

===== Handling and Storage =====

Handling and Storage Precautions:NONE  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE (MFR)  
Ventilation:MECH VENT RECOMND TO KEEP BELOW TLV  
Protective Gloves:RECOMND  
Eye Protection:RECOMND  
Other Protective Equipment:RECOMND TO PREVENT SKIN CONTACT  
Suppl  
emental Safety and Health  
PH- APPROX 2.

===== Physical/Chemical Properties =====

HCC:C2  
Boiling Pt:B.P. Text:>212F; 100C  
Vapor Pres:30  
Vapor Density:0.7  
Spec Gravity:1.13  
Solubility in Water:COMPLETE  
Appearance and Odor:COLORLESS, VINEGAR ODOR  
Percent Volatiles by Volume:98

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Hazardous Decomposition Products:NONE

===== Disposal Conside

rations =====

Waste Disposal Methods:MANUFACTURER RECOMMENDS: NEUTRALIZING AND FLUSHING W/ COPIOUS AMOUNTS OF WATER TO SEWER; LANDFILL OR INCINERATION. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE AND LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.