

EASTMAN KODAK COMPANY -- 187-9840 RP X-OMAT DEVELOPER STARTER -- 6525-01-149-8074

===== Product Identification =====

Product ID:187-9840 RP X-OMAT DEVELOPER STARTER

MSDS Date:01/01/1985

FSC:6525

NIIN:01-149-8074

MSDS Number: BGNYW

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Emergency

Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000

OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Haz

ards Identification =====

Effects of Overexposure:DIRECT CONTACT IN EYES OR ON SKIN MAY CAUSE BURNS.

===== First Aid Measures =====

First Aid:FLUSH EYES IMMED WITH H\*2O FOR 15 MIN. CALL MD. FLUSH SKIN WITH WATER.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:NONE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:NEUTRALIZE WITH SODIUM BICARBONATE OR SODA ASH.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE (MFR)

Ventilation:MECH VENT RECOMND TO KEEP BELOW TLV

Protective Gloves:RECOMND

Eye Protection:RECOMND

Other Protective Equipment:RECOMND TO PREVENT SKIN CONTACT

Suppl

emental Safety and Health

PH- APPROX 2.

===== Physical/Chemical Properties =====

HCC:C2

Boiling Pt:B.P. Text:>212F; 100C

Vapor Pres:30

Vapor Density:0.7

Spec Gravity:1.13

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS, VINEGAR ODOR

Percent Volatiles by Volume:98

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products:NONE

===== Disposal Conside

rationals =====

Waste Disposal Methods:MANUFACTURER RECOMMENDS: NEUTRALIZING AND  
FLUSHING W/ COPIOUS AMOUNTS OF WATER TO SEWER; LANDFILL OR  
INCINERATION. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE AND LOCAL  
CODES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information  
to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.