

MCGEAN-ROHCO INC:CEE-BEE CHEMICAL DIVISION -- CEE BEE A-276;PROTECTIVE COATING
REMOVER -- 6850-01-162-2424

===== Product Identification =====

Product ID:CEE BEE A-276;PROTECTIVE COATING REMOVER

MSDS Date:10/02/1986

FSC:6850

NIIN:01-162-2424

MSDS Number: BGPLS

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC:CEE-BEE CHEMICAL DIVISION

Address:9520-E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-

5501

Country:US

Info Phone Num:213-803-4311

Emergency Phone Num:213-803-4311

Preparer's Name:TSCA CO ORDINATOR

CAGE:71361

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

===== Composition/Information on Ingredients =====

Ingred Name:ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: 3.0%

OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3 PPM/6 S

TEL; 9192

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000

Ingred Name:UNIDENTIFIED COMPONENTS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES AND SKIN.
CHRONIC:NO DATA AVAILABLE.
Explanation of Carcinogenicity:NO DATA AVAILABLE.
Effects of Overexposure:SKIN:CAUSES IRRITATION ON PROLONGED CONTACT;
EYES:CAUSES IRRITATION; INGEST: IRRIT GI TRACT.
Medi
cal Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
First Aid Measures
=====

First Aid:SKIN:WASH W.SOAP & H*2O. EYES:FLUSH W. H*2O. INGESTED:DON'T
INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF
NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE
ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:EXTINGUISH WITH
AGENT SUITABLE FOR SURROUNDING FIRE
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL
CONTR.
Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK.
EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT
ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG
SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITI

ES.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE. AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions:AVOID TEMPERATURES BELOW 30F AND ABOVE 120F. AVOID SKIN/EYES CONTACT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL/TLV.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:RUBBER

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:APRON, EYE-WASH, SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE VAPORS/MIST. WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:B3

Boiling Pt:B.P. Text:210F/99C

Decomp Temp:Decomp Text:1

Vapor Pres:23

Vapor Density:1.0, WATR=1

Spec

Gravity:1.0

pH:ALKALI

Evaporation Rate & Reference: