View NSN Online: https://aerobasegroup.kr/nsn/6850-01-175-7732

Product ID:COPIER DISPERSANT, #4537 MSDS Date:06/14/1988 FSC:6850 NIIN:01-175-7732 Kit Part:Y **MSDS Number: BGPSV** === Responsible Party === Company Name: OLIN HUNT SPECIALTY PRODUCTS INC. SUB. OF OLIN COR Address:5 GARRET MOUNTAIN PLAZA City:WEST PATTERSON State:NJ ΖI P:07424 Country:US Info Phone Num:203-789-5436 Emergency Phone Num:800-654-6911 CAGE:OLINH === Contractor Identification === Company Name: MCKENDREE W I CO Address:4210 COLLEY AVE Box:6223 City:NORFOLK State:VA ZIP:23508-2508 Country:US CAGE:7E267 Company Name: OLIN CORPORATION Address:501 MERRITT 7 Box:4500 City:NORWALK State:CT ZIP:06856-4500 Country:US Phone:203-750-3000/800-511-MSDS CAGE:99530 Company Name: OLIN HUNT SPECIALTY PRODUCTS INC. Address:5 GARRET MOUNTAIN PLAZA **City:WEST PATERSON** Sta

te:NJ ZIP:07424 Country:US Phone:203-789-5436 CAGE:OLINH Company Name: SAVIN CORP. Address:9 WEST BROAD STREET Box:12070 City:STAMFORD State:CT ZIP:06904-2270 Country:US Phone:203-967-5000 CAGE:29382 Ingred Name: HYDROTREATED HEAVY NAPHTHA CAS:64742-48-9 Fraction by Wt: 100% LD50 LC50 Mixture:LD50 > 5G/KG (RAT) Routes of Entry: Inhalation:YES Skin:YES Inge stion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: IRRITATION. CHRONIC: PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS: INHALATION OF VAPORS > 300 PPM ON THE LONG TERM BASIS MAY CAUSE LOW GRADE ANEMIA & MILD KIDNEY EFFECTS. Effects of Overexposure: SKIN, EYE & MUCOUS MEMBRANE IRRITATION; **DIZZINESS, LIGHT-HEADEDNESS & NAUSEA.** First Aid:INH:REMOVE TO FRESH AIR,CALL A PHY SICIAN; ING:DRINK PLENTY OF WATER TO DILUTE.DO NOT GIVE ANYTHING TO AN UNCONSCIOUS PERSON; SKIN/EYE:FLUSH WITH PLENTY OF WATER. Flash Point Method:TCC Flash Point:102F,39C Lower Limits:0.7 **Upper Limits:7** Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CO2. WATER MAY BE INEFFECTIVE IN FIGHTING FIRE. Fire Fighting Procedures: USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINER & DISPERSE UNIGNITED VAPORS. ALSO, US

E NIOSH/MSHA-APPROVED POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE STATED.
======================================
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. ADD NON- COMBUSTIBLE DRY ABSORBENT. CLEAN UP & PLACE IN AN APPROPRIATE CONTAINER.
======================================
Handling and Storage Precautions:DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES,SKIN OR CLOTHING. STORE IN A COOL,DRY,WELL-VENTILATED PLACE.
======================================
Respiratory Protection:NONE USUALLY. Ventilation:ADEQUATE ROOM VENTILATION Protective Gloves:NONE USUALLY Eye Protection:SAFETY GLASSES Supplemental Safety and Health THIS PRODUCT USED IN SAVIN COPIER MODELS 5030/5040.
======================================
HCC:F4 Boiling Pt:B.P. Text:313-380F Vapor Pres:33 MMHG Vapor Density:5.2 Spec G ravity:0.75 Evaporation Rate & amp; Reference:0.1-0.5 (BUTYL ACETATE=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:LIQUID,ODORLESS Percent Volatiles by Volume:100
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS,LIQUID CHLORINE,CONCENTRATED OXYGEN, HYPOCHLORITES. Stability Condition to Avoid:HIGH HEAT & IGNITION SOURCES. Hazardous Decomposition Products:CO,CO2

======= Disposal Considerations ==

Waste Disposal Methods:CONSULT APPROPRIATE FEDERAL,STATE & LOCAL REGULATORY AGENCIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional a dvice to verify and

assume responsibility for the suitability of this information to their particular situation.