View NSN Online: https://aerobasegroup.kr/nsn/6750-01-178-4421

EASTMAN KODAK COMPANY -- 153 2753 FLEXICOLOR DEVELOPER REPLENISHER, PART C -- 6750-01-178-4421

Product ID:153 2753 FLEXICOLOR DEVELOPER REPLENISHER, PART C

MSDS Date:06/22/1994

FSC:6750

NIIN:01-178-4421

MSDS Number: BGPVL === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US Info Phone N

um:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

====== Composition/Informati

on on Ingredients ========
Ingred Name:4-(N-ETHYL-N-2-HYDROXYETHYL)-2-METHYLPHENYLENEDIAMINE SULFATE CAS:25646-77-9 RTECS #:KJ6477000 Fraction by Wt: 40-45%
Ingred Name:SODIUM METABISULFITE CAS:7681-57-4 RTECS #:UX8225000 Fraction by Wt: 1-5% OSHA PEL:5 MG/M3 ACGIH TI V:5 MG/M3: 9192

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 50-55%

========= Hazards Identification =============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES He

alth Hazards Acute and Chronic:PRODUCT CAUSES IRRITATION AND MAY CAUSE KIDNEY DAMAGE IF INGESTED OR ABSORBED THROUGH SKIN. PRODUCT (ESPECIALLY AS THE CONCENTRATE) RELEASES SULFUR DIOXIDE,A RESPIRATORY IRRITANT WITH A TLV OF 2 PPM.

Effects of Overexposure:EYE:IRRITATION. SKIN:IRRITATION AND/OR POSSIBLE ALLERGIC REACTION. INHALED:IRRITATION. INGESTED:G/I DISTRESS/IRRITATION.

Medical Cond Aggravated by Exposure: NONE LISTED BY MFR.

First Aid:EYE:FLUSH WITH WATER,GET MEDICAL ATTENTION. SKIN:FLUSH WITH WATER.GET MEDICAL ATTENTION IF IRRITATION PERSISTS OR ALLERGY APPEARS. INHALED:REMOVE TO FRESH AIR.GET MEDICAL ATTENTION IF SYMPTOMS PERSIST S. INGESTED:RINSE MOUTH,GIVE 2 GLASSES OF WATER,INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF UNCONSCIOUS.

============ Fire Fighting Measures =========================

Flash Point:NONE Lower Limits:NONE Upper Lim its:NONE Extinguishing Media: WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, "ALCOHOL" FOAM Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS ======== Accidental Release Measures ============ Spill Release Procedures:FLUSH TO DRAIN WITH LARGE AMOUUNT OF WATER. Neutralizing Agent: NONE LISTED BY MFR. _____ Handling and Storage ========== Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions: AVOID CONTACT WITH MINERAL ACIDS & ALKALI.KEEP FROM CONTACT WITH OXIDIZING MATL.AVOID BREATHING VAPORS.USE W/ADEQUATE VENTILATION.WASH THOROUGHLY AFTER HANDLING. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: A NI OSH APPRVD ACID GAS RESP SHOULD BE WORN IF **NEEDED** Ventilation: GOOD GENERAL VENTILATION OR LOCAL EXHAUST TO CONTROL TLV. Protective Gloves: IMPERVIOUS Eye Protection: CHEM SPLASH GOGGLES Other Protective Equipment: FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT. Supplemental Safety and Health

KEY1: C1. THIS IS A THREE PART KIT.

======== Physical/Chemical Properties ==========

HCC:C2
Boiling Pt:B.P. Text:212F,100C
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN
Vapor

Pres:18 Vapor Density:0.6 Spec Gravity:1.18 pH:2.12 Evaporation Rate & Evaporation R Solubility in Water: COMPLETE Appearance and Odor: REDDISH-BROWN SOLUTION, SULFUR DIOXIDE ODOR Percent Volatiles by Volume:55 % ======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZERS, STRONG BASES Stability Condition to Avoid:MOISTURE Hazardous Decomposition Products: COMBUSTION MAY PRODUCE OXIDES OF CARBON, SULFUR, & NITRO GEN.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document s

hould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.