

D B A PRODUCTS CO INC -- DBA AERO-SAN #1701 -- 6840-01-195-6674

=====  
Product Identification  
=====

Product ID:DBA AERO-SAN #1701

MSDS Date:01/04/1991

FSC:6840

NIIN:01-195-6674

MSDS Number: BGQHS

=== Responsible Party ===

Company Name:D B A PRODUCTS CO INC

Address:22 SKOKIE HIGHWAY

City:LAKE BLUFF

State:IL

ZIP:60044-1711

Country:US

Info Phone Num:312-234-8100

Emergency Phone Num:312-234-8100

CAGE:

23693

=== Contractor Identification ===

Company Name:D B A PRODUCTS CO INC

Address:22 SKOKIE HIGHWAY

Box:City:LAKE BLUFF

State:IL

ZIP:60044-1711

Country:US

Phone:312-234-8100

CAGE:23693

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

OSHA PEL:350 PPM/4

50 STEL  
ACGIH TLV:350 PPM/450STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:METHYLENE CHLORIDE (SARA III)  
CAS:75-09-2  
RTECS #:PA8050000  
OSHA PEL:500 PPM/C,1000; Z2  
ACGIH TLV:50 PPM, A2; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:HEXACHLOROPHENE (SARA III)  
CAS:70-30-4  
RTECS #:SM0700000  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:DICHLOROPHENE  
CAS:97-23-4  
RTECS #:SM0175000

=====  
===== Hazards Identification =====  
=====

Effects of Overexposure:HEADACHE,VOMITING,NAUSEA,DIZZINESS &  
ANESTHESIA.

=====  
===== First Aid Measures =====  
=====

First Aid:IF OVERCOME BY VAPORS,REMOVE VICTIM TO FRESH AIR.IF BREATHING  
STOPS.GIVE ARTIFICIAL RESPIRATION.FLUSH FROM SKIN & EYES WITH  
PLENTY OF WATER.CONSULT A PHYSICIAN IF INJURY PERSISTS.

=====  
===== Fire Fighting Measures =====  
=====

Extinguishing Media:CO\*2, FOAM, DRY CHEM.  
Fire Fighting Procedures

:COOL CANS IN THE VICINITY OF FIRE OR EXCESSIVE HEAT.

Unusual Fire/Explosion Hazard:TEMP ABOVE 120F MAY CAUSE CANS TO BURST.

===== Accidental Release Measures =====

Spill Release Procedures:MOP UP OR SOAK UP IN ABSORBENT,INERT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT,OPEN FLAME OR SPARK SOURCES.

Other Precautions:KEEP OUT OF REACH OF CHILDREN,AVOID CONTACT WITH SKIN & EYES,AVOID INHALING TOO MUCH OF CONCENTRATED VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FULL FACE MASK.

Ventilation:MECHANIC PREFERRED.

Protective Gloves:RUBBER/NEOPRENE

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

MSDS DATED 7-31-80. PROPELLANT:PROPANE/ISOBUTANE BLEND;TLV=1000PPM.

===== Physical/Chemical Properties =====

HCC:V2

Spec Gravity:0.85

Appearance and Odor:CLEAR LIQ.

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:HCL & PHOSGENE

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE CANS. DISPOSE IN TRASH ONLY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United Sta

tes of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.