

DIGITAL EQUIPMENT CORP -- KIT-TONER CARTRIDGE, LNO3X-AC/TA -- 6850-01-233-4017

=====
Product Identification
=====

Product ID:KIT-TONER CARTRIDGE, LNO3X-AC/TA

MSDS Date:03/04/1992

FSC:6850

NIIN:01-233-4017

MSDS Number: BGRBW

=== Responsible Party ===

Company Name:DIGITAL EQUIPMENT CORP

Address:146 MAIN ST

City:MAYNARD

State:MA

ZIP:01754-2504

Country:US

Info Phone Num:800-344-4825

Emergency Phone N

um:800-344-4825

CAGE:15476

=== Contractor Identification ===

Company Name:COMPAQ/ FORMERLY KNOWN AS-DIGITAL EQUIPMENT CORP

Address:111 POWDERMILL RD

Box:City:MAYNARD

State:MA

ZIP:01754-2504

Country:US

Phone:508-479-3046

CAGE:15476

Company Name:J & J COMPUTER SYSTEMS (818-915-8998)

CAGE:0N9D8

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

LD50 LC

50 Mixture:LD50:(ORAL,RAT) >5 G/KG.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE DURING NORMAL USE, EXPOSURE TO POWDER COULD OCCUR DURING HANDLING. SKIN/EYE:NON-IRRITATING.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First

Aid:FOR TONER INSIDE CARTRIDGE: INHAL:REMOVE TO FRESH AIR.

SUPPORT BREATHING IF NECESSARY & CONTACT MD. SKIN:PROMPTLY WASH W/SOAP & WATER. EYES:FLUSH W/LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES. I NGEST:SEEK IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Lower Limits:N/K

Upper Limits:N/K

Extinguishing Media:WATER, FOAM, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTEC TIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:WASH W/SOAP & WATER. REMOVE POWDER W/HIGH EFFICIENCY PARTICULATE FILTER (HEPA) VACUUM CLEANER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. AVOID TEMPERATURES ABOVE 130C (268F).

Other Precautions:N/K

=====

== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:NOT NEEDED FOR NORMAL USE.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NOT NEEDED FOR NORMAL USE.

Work Hygienic Practices:N/K

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:>266F,>130C

Decomp Temp:Decomp Text:N/K

Spec Gravity:1.99 (WATER=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:POWDER IN CARTRIDGE, NO ODOR.

Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products:HAZARDOUS COMBUSTION PRODUCTS:CARBON MONOXIDE, CARBON DIOXIDE.

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify

and
assume responsibility for the suitability of this information to their
particular situation.