

CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC. -- HEAVY DUTY DEGREASER (AEROSOL) #3095 --  
6850-01-244-9614

=====  
Product Identification  
=====

Product ID:HEAVY DUTY DEGREASER (AEROSOL) #3095  
MSDS Date:01/01/1987  
FSC:6850  
NIIN:01-244-9614  
MSDS Number: BGRGL  
=== Responsible Party ===  
Company Name:CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC.  
Address:885 LOUIS DRIVE  
City:WARMINSTER  
State:PA  
ZIP:18974-2820  
Cou  
ntry:US  
Info Phone Num:215-674-4300  
Emergency Phone Num:215-674-4300/800-424-9300(CHEMTREC)  
CAGE:10136  
=== Contractor Identification ===  
Company Name:CRC INDUSTRIES, INC.  
Address:885 LOUIS DRIVE  
Box:City:WARMINSTER  
State:PA  
ZIP:18974-2820  
Country:US  
Phone:215-674-4300/800-424-9300  
CAGE:10136

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)  
CAS:71-55-6  
RTECS #:KJ2975000  
Fraction by Wt: 72%  
OSHA PEL:350 PPM/450  
STEL  
ACGIH TLV:350 PPM/450STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III)  
CAS:127-18-4  
RTECS #:KX3850000  
Fraction by Wt: 24%  
OSHA PEL:100 PPM  
ACGIH TLV:25PPM/100,A3 STEL;94  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:CARBON DIOXIDE  
CAS:124-38-9  
RTECS #:FF6400000  
Fraction by Wt: 4%  
OSHA PEL:5000 PPM

=====

Effects of

Overexposure:EYE:PAIN,IRR;SKIN:IRR;INH:HEAD,DIZZ,ANESTH,UNCONSC.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG  
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH  
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE  
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:

N/R,AEROSOL

Lower Limits:7.5

Upper Limits:14.5

Extinguishing Media:WATER FOG

Fire Fighting Procedures:NONE SPECIFIED

Unusual Fire/Explosion Hazard:AEROSOLS MAY EXPLODE IF THEIR  
TEMP.EXCEEDS 130F

===== Accidental Release Measures =====

Spill Release Procedures:AREA SHOULD BE VENTILATED AND ABSORBENT USED  
TO PICK UP EXCESS MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED SKIN CONTA  
CT OR

BREATHING OF VAPORS-KEEP AEROSOLS AWAY FROM HEAT.

Other Precautions:SINCE VAPORS ARE HEAVIER THAN AIR,AEROSOLS SHOULD NOT  
BE USED IN CONFINED AREAS OR LOW SPOTS W/O ADEQUATE VENTILATION.IF  
VAP.ARE SUSPECTED IN A LOW AREA,DO NOT ENTER W/O SCBA & AN  
OBSERVER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ABOVE TLV USE SELF CONTAINED AIR MASK OR VAPOR  
MASK.

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN