

TURCO PRODUCTS,INC. -- 6252A SOLVENT ADDITIVE -- 6850-01-246-2010
===== Product Identification =====

Product ID:6252A SOLVENT ADDITIVE
MSDS Date:09/01/1988
FSC:6850
NIIN:01-246-2010
Kit Part:Y
MSDS Number: BGRGV
=== Responsible Party ===
Company Name:TURCO PRODUCTS,INC.
Address:7300 BOLSA AVE
City:WESTMINSTER
State:CA
ZIP:92684-3600
Info Phone Num:714-890-3600
Emergency Phone Num:614-387-6200
Pre
parer's Name:J.D. QC DEPARTMENT
CAGE:D9808
=== Contractor Identification ===
Company Name:TURCO PRODUCTS, INC.
Address:7300 BOLSA AVE
Box:6200
City:WESTMINSTER
State:CA
ZIP:92684-3600
Country:US
Phone:614-387-6200
CAGE:0BYN5
Company Name:TURCO PRODUCTS,INC.
Box:6200
City:PHILADELPHIA
State:PA
ZIP:19103
Country:US
Phone:215-419-7890
CAGE:D9808

===== Composition/Information on Ingredients =====

Ingred Name:BENZYL ALCOHOL
CAS:100-51-6
RTECS #:DN3150000
Fraction by Wt: 100%

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE
Effects of Overexposure:EYES:MODERATE TO SEVERE
IRRITATION;SKIN:MODERATE TO SEVERE
IRRITATION,DRYING,DEFATTING;INHALATION:MODERATE
IRRITATION,DIZZINESS,HEADACHE.MIST:SEVERE RESPIRATORY
IRRITATION,NAUSEA;INGESTION:SEVERE IRRITATION TO GASTROINTESTINAL
TRACT,NAUSEA.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH PLENTY OF WATER.IF IRRITATION PERSISTS,SEE
DOCTOR;SKIN:REMOVE CLOTHING & SHOES.FLUSH WITH PLENTY OF WATER.WASH
WITH SOAP & WATER,RINSE.IF IRRITATION PERSISTS,SEE
DOCTOR;INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF
NEEDED.SEE DOCTOR;INGESTION:DO NOT INDUCE VOMIT.GIVE LARGE VOLUMES
OF MILK OR WATER.
SEE DOCTOR.NOTHING BY MOUTH IF UNCONSCIOUS.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:>93.3C, 200.F
Extinguishing Media:FOAM,CO*2,DRY CHEMICAL
Fire Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN SPILL.STOP LEAK.VENTILATE.EVACUATE
PERSONNEL.PUMP LIQUID INTO APPROVED DRUMS FOR DISPOSAL.ABSORB
REMAINING LIQUID WITH INERT ABSORBENT & PLACE IN APPROVED DRUMS FOR
DISPOSAL.WASH AREA WITH WATER.PLACE WASHING IN APPROVED DRUMS FOR
DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN DRY PROTECTED AREA AWAY FROM
STRONG OXIDIZING AGENTS.
Other Precautions:AVOID SPLASHING.RELIEVE PRESSURE.COVER OPENINGS TO
AVOID SPURTING.CLEAN INTERIOR & EXTERIOR BY FLUSHING WITH
SOLVENT.COLLECT FLUSHINGS FOR DISPOSAL.

OSAL.USE PROTECTIVE EQUIPMENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED USE NIOSH-APPROVED SCBA OR AIR LINE MASK WITH FULL FACE PIECE.FOR LIMITED EXPOSURE WITH GOOD VENTILATION USE FULL FACE MASK WITH ORGANIC VAPOR CARTRIDGE.DO NOT USE RESPIRATOR WHERE DANGER OF OXYGEN DEFICIENCY EXISTS.

Ventilation:MECHANICAL (GENERAL) VENTILATION.

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES,FACE SHIELD

Other Protective Eq

uipment:APRON,BOOTS

Work Hygienic Practices:WASH HANDS & FACE WITH SOAP & WATER BEFORE SMOKING,EATING.REMOVE & LAUNDER CONTAMINATED CLOTHING.DO NOT LAUNDER @ HOME.

Supplemental Safety and Health

THIS IS PART B OF A 2-PART KIT. FOR PART A,SEE PNI A,SAME NSN, KEY1:V5.

===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:=204.4C, 400.F

Vapor Pres:6.1

Vapor Density:>1

Spec Gravity:1.05

Evaporation Rate & Reference: