

E/M CORPORATION, SUB OF GREAT LAKES CHEMICAL CORP -- PERMA-SLIK G AEROSOL 10-117 --  
9150-01-260-2534

===== Product Identification =====

Product ID:PERMA-SLIK G AEROSOL 10-117

MSDS Date:04/23/1998

FSC:9150

NIIN:01-260-2534

MSDS Number: BGRLP

=== Responsible Party ===

Company Name:E/M CORPORATION, SUB OF GREAT LAKES CHEMICAL CORP

Address:2801 KENT STREET, U.S.HWY.52

Box:2400

City:WEST LAFAYETTE

Sta

te:IN

ZIP:47906

Country:US

Info Phone Num:317-463-2511

Emergency Phone Num:317-463-2511/317-497-6100

CAGE:KO238

=== Contractor Identification ===

Company Name:E / M CO. DIV OF MORGAN CHEMICAL PRODUCTS INC

Address:100 COOPER CIR

Box:3969

City:PEACHTREE CITY

State:GA

ZIP:30269

Country:US

Phone:770-261-4835 / FAX: 770-631-0833

Contract Num:SP0451-96-D0367-0009

CAGE:8F024

Company Name:E/M CORPORATION,SUB OF GREAT LAKES CHEMICAL CORP

Address:2801 KENT STREET,U.S.HWY.52

Box:2400

City:WEST LAFAYETTE

St

ate:IN

ZIP:47906

Country:US

Phone:317-463-2511

CAGE:KO238

===== Composition/Information on Ingredients =====

Ingred Name:MOLYBDENUM DISULFIDE (TRADE SECRET)

CAS:1317-33-5

RTECS #:QA4697000

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:ANTIMONY TRIOXIDE (SARA III)

CAS:1309-64-4

RTECS #:CC5650000

&lt; Wt:10.

OSHA PEL:0.5 MG/M3 (SB)

ACGIH TLV:0.5 MG SB/M3; 9293

3-3  
RTECS #:EL6475000  
&lt; Wt:10.  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
&lt; Wt:10.  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS) (TRADE SECRET)  
CAS:68476-85-7  
RTECS #:SE7545000  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM; 9293

Ingred Name:MINERAL SPIRITS (TRADE SEC  
RET)  
CAS:8032-32-4  
RTECS #:OI6180000  
ACGIH TLV:1370 MG/M3;300 PPM

Ingred Name:INORGANIC LEAD COMPOUND  
CAS:12141-20-7  
&lt; Wt:10.

Ingred Name:METHYLENE CHLORIDE  
CAS:75-09-2  
RTECS #:PA8050000  
Minimum % Wt:65.  
Maximum % Wt:75.  
OSHA PEL:SEE TABLE Z-2  
ACGIH TLV:174 MG/M3;50 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports

of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYES: CAN CAUSE IRRITATION, REDNESS, BLURRED VISION. SKIN: PROLONGED CONTACT CAN CAUSE IRRITATION OR DERMATITIS. INHALATION: CAN CAUSE IRRITATION, DIZZINESS, NAUSEA, FATIGUE, HEADACHE AND UNCONSCIOUSNESS OR ASPHYXIATION. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. CHRONIC-UNKNOWN.

Explanation of Carcinogenicity:IARC LISTS INORGANIC LEAD COMPOUNDS, AN

TIMONY COMPOUNDS, METHYLENE CHLORIDE AS POSSIBLE CARCINOGENS.

Effects of Overexposure:EYES: IRRITATION, REDNESS, BLURRED VISION.

SKIN: IRRITATION, DERMATITIS. INHALATION: IRRITATION, DIZZINESS, NAUSEA, FATIGUE, HEADACHE, UNCONSCIOUSNESS, OR ASPHYXIATION. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, AND DIARRHEA.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First A

id:EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. IF BREATHING IMPAIRED, GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. KEEP WARM. GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point: