View NSN Online: https://aerobasegroup.kr/nsn/6850-01-264-8678

## MAGNAFLUX CORPORATION -- SKL-LT SPOTCHECK PENETRANT -- 6850-01-264-8678

Product ID:SKL-LT SPOTCHECK PENETRANT

MSDS Date:11/19/1985

FSC:6850

NIIN:01-264-8678

MSDS Number: BGRVD === Responsible Party ===

Company Name: MAGNAFLUX CORPORATION

Address:7300 W.LAWRENCE AVENUE

City:CHICAGO

State:IL ZIP:60656 Country:US

Info Phone Num:312-867-8000 Emergency Phone Num:312-86

7-8000

Preparer's Name:BRUCE C. GRAHAM (CHEMIST)

CAGE:37676

=== Contractor Identification ===

Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL ZIP:60025 Country:US

Phone:847-657-5300/

CAGE:37676

======= Composition/Information on Ingredients ========

Ingred Name:DISTILATES(PETROLEUM),CATALYTIC REFORMER FRACTIONATER

RESIDUE, LOW BOILING

CAS:68477-31-6 Fraction by Wt: 35.0%

Ingred Name: KEROSENE

CAS:8008-20-6 RTECS #:OA55

00000 Fraction by Wt: 10.0% ACGIH TLV:100MG/CUM		
======================================		
Health Hazards Acute and Chronic:IRRITATES EYES.  Effects of Overexposure:INHALATION:CAUSES DIZZINESS,DROWSINESS,NAUSEA;  SKIN:LIQUID IRRITATES BY DISSOLVING SKIN OIL; EYES:VAPORS/LIQUID  CAUSES IRRITATION; INGESTION:NOT KNOWN TO MANUFACTURER.  Medical Cond Aggravated by Exposure:NOT KNOWN		
======================================		
First Aid:INHAL ATION:REMOVE TO FRESH AIR.IF BREATHING IS DIFFICULT,GIVE OXYGEN; SKIN:REMOVE CONTAMINATED CLOTHES.WASH OFF WITH FLOWING WATER.USE SOOTHING LOTION.IF IRRITATION PERSISTS,GET MEDICAL ATTN; EYES:IMM EDIATELY RINSE/FLUSH WITH COPIOUS AMOUNT OF RUNNING WATER,AND GET MEDICAL ATTENTION.		
======================================		
Flash Point Method:PMCC Flash Point:170F/76.6C Lower Limits:6.0 Upper Limits:1.0 Extinguishing Media:CARBON DIOXIDE, FOAM Fire Fight ing Procedures:KEEP CONTAINERS COOL WITH WATER SPRAY. Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY EMIT TOXIC GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.		
========== Accidental Release Measures ===========		
Spill Release Procedures:REMOVE IGNITION SOURCES.SM QTY:WIPE UP OR MOP UP BUT DO NOT BREATHE VAPORS.PLACE RAGS IN CLOSED DRUMS; LG QTY:WEAR PERSONAL SAFETY EQUIPMENTS.DIKE AREA FAR AHEAD.ABSORB LIQUID WITH COMMERCIAL ABSORBEN T.TRANSFER WASTE MATL IN SALVAGE TANKS.		
======================================		
Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES IN WELL VENTILATED AREA.AVOID AGAINST PHYSICAL DAMAGE TO CONTAINERS.KEEP CONTAINERS TIGHTLY CLOSED		

Other Precautions: DO NOT BREATHE VAPORS. DO NOT SMOKE WHILE USING. DO NOT HEAT ABOVE 130F(54C).AVOID FREQUENT OR PROLONGED SKIN CONTACT.DO NOT SPRAY INTO FLAMES, ARCS, HOT SURFACES.

====== Exposure Controls/Personal Prot

4.	
ection	
=::::::::::::::::::::::::::::::::::::::	

Respiratory Protection: NOT LISTED BY THE MANUFACTURER

Ventilation: ADEQUATE VENTILATION Protective Gloves: NITRILE RUBBER

Eye Protection: SAFETY GOGGLES/GLASSES

Work Hygienic Practices: WASH HANDS AFTER USE.

Supplemental Safety and Health

ONE PART PRODUCT; THIS DESCRIBES SKL-LT SPOTCHECK PENETRANT WHICH IS SPECIFIED AS TY II, METH C PROD BY QPL-25135-15 FOR MIL-I-25135, REV D; UNDER SAME TYPE & METH, THE QPL ALSO SPECIFIED OTHER PRODUCTS SU CH AS SKL-HF/S, SKL-HT, SKL-LO,

\$ SKL-WP;SKL-LT(LOW TEMP PENETRANT)NOT AVAILABLE IN AEROSOL CANS FROM MAGNAFLUX.KEY1:N1.

======== Physical/Chemical Properties ==========

HCC:N1

Boiling Pt:B.P. Text:410F/210C

Vapor Pres:0.5 @ 100F

Spec Gravity:0.98

Solubility in Water: NEGLIGIBLE

Appearance and Odor: RED LIQUID, SLIGHT ODOR

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

**OXIDIZERS** 

Stability Condition to Avoid: HEAT, HIGH TEMPERATURES.

Hazardou

s Decomposition Products: EMITS OXIDES OF CARBON AND NITROGEN.

======= Disposal Considerations ==========

Waste Disposal Methods:INCINERATE OR DISPOSE OF AS EPA HAZARDOUS WASTE D001 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner

whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.