Product ID: FP-98A PENETRANT MSDS Date:06/28/1989 FSC:6850 NIIN:01-263-8430 MSDS Number: BGSVL === Responsible Party === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST **City:SANTA MONICA** State:CA ZIP:90404-3770 Country:US Info Phone Num:213-450-1111 Emergency Phone Num:213-450-1111 CAGE:98733 === Co ntractor Identification === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 CAGE:98733 Ingred Name:LINEAR ALCOHOL CAS:68131-40-8 RTECS #:WZ5200000 Ingred Name: ETHOXYLATED NONYLPHEONOL CAS:9016-45-9

Fraction by Wt: 350F,>177C Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:ALCOHOL FOAM OR WATER FOG OR CARBON D

IOXIDE OR DRY CHEMICAL Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND AND BE IGNITED AT A DISTANCE.
======================================
Spill Release Procedures: ABSORB WITH VERMICULITE, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
===
======================================
Handling and Storage Precautions: KEEP CONTAINERS CLOSED. Other Precautions: NONE SPECIFIED BY MANUFACTURER.
======================================
Respiratory Protection:NOT REQUIRED UNDER NORMAL CONDITIONS OF USE. Ventilation:LOCAL EXHAUST TO REDUCE VAPORS AND MECHANICAL (GENERAL) VENTIALTION TO REDUCE VAPORS. Protective Gloves:CHEMICAL RESISTANT Eye Protection:SAFETY GLASSES OR GOGGLES
Other Pro
tective Equipment:CHEMICAL RESISTANT APRON, EMERGENCY EYEWASH STATION AND SHOWER.
Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.
======================================
HCC:N1 Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:77.0F,25.0C Vapor Pres:< 1 Vapor Density:> 1 Spec Gravity:1 Evaporation Rate & amp; Reference:0.01 (

BUTYL ACETATE=1) Solubility in Water:MISCIBLE Appearance and Odor:GREEN, SYRUPY LIQUID

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES OF CARBON

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD AN Y PRODUCT, RESIDUE, DISPOSAL CONTAINER OR

LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professiona I advice to verify and assume responsibility for the suitability of this information to their particular situation.