View NSN Online: https://aerobasegroup.kr/nsn/9150-00-424-3224

Product ID: ISOPROPYL ALCOHOL

MSDS Date:05/25/1990

FSC:9150

NIIN:00-424-3224

Kit Part:Y

MSDS Number: BGSXH === Responsible Party ===

Company Name: VAN WATERS AND ROGERS

Address:2256 JUNCTION AVE

City:SAN JOSE

State:CA ZIP:95131 Country:US

Info Phone Num: 206-447-5911 OR 714-864-2310

Emergency Phone Num:4 08-435-8700 OR 714-864-2310 Preparer's Name:C.A.EISENHARD

CAGE:0AN91

=== Contractor Identification ===

Company Name: CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640 Country:US

Phone:909-864-2310

CAGE:60777

Company Name: VAN WATERS AND ROGERS

Address: 2256 JUNCTION AVE

City:SAN JOSE

State:CA ZIP:95131 Country:US

Phone:408-435-8700/800-424-9300(CHEMTREC)

CAGE:0AN91

====== Composition/Information on Ingredients ========

Ingred Na

me:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 99.0% Other REC Limits: NONE SPECIFIED OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192 ============= Hazards Identification ======================== LD50 LC50 Mixture:LD50 5045 MG/KG LDLO MAN 2770 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS MILDLY IRRITATING AND MODERATELY.TOXIC. CHRO NIC OVER EXPOSURE MAY CAUSE KIDNEY OR BRAIN DAMAGE. Effects of Overexposure:MFR REPORT: PROLONGED OR REPEATED EXPOSURE TO HIGH CONCENTRATION CAN PRODUCE SEVERE IOR FATAL CNS DEPRESSION," *HMIS: EYE/SKIN:IRRITATION. INHALED:RESPIRATORY IRRITION, HEADACHE, DIZZINESS, FATIGUE, NAUSE A POSSIBLE COMA, INGESTED::G/I IRRITATION, NAUSEA, VOMITING, DIRRHEA. Medical Cond Aggravated by Exposure: NONE REPORTED First Aid:EYE:F & WASH WITH SOAP & WATER, LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. GET MEDICAL CARE. INGESTED:GIVE 2 GLASS ES OF WATER & INDUCE VOMITING. GET MEDICAL CARE. GIVE

LUSH WITH WATER 15 MIN.SKIN:REMOVE CONTAMINATED CLOTHING NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point:=11.7C, 53.F

Lower Limits:2.0 Upper Limits:12.7

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY

CH

| EMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED |
|--|
| CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard: VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL TO AND FLAS-BACK FROM AN IGNITION SOURCE |
| ========== Accidental Release Measures ========== |
| Spill Release Procedures:MOP OR WIPE UP,OR ADSORB WITH INERT MATERIAL, STORE IN TIGHTLY CLOSED CONTAINER PENDIN G DISPOSAL. |
| Neutralizing Agent:NONE |
| ====================================== |
| Handling and Storage Precautions:STORE FLAMMABLE LIQUID;IN A COOL,WELL VENTILARED AR EA,SEPARATED.FROM IGNITION SOURCES AND INCOMPATABLES. Other Precautions:"EMPTY"CONTAINERS MAY CONTAIN EXPLOSOVE AMOUNT OF RESIDUE OR VAPOR. DO NOT CUT,WELD,ETC ON THEM |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:WEAR NIOSH/MSHA APPROVERD CARTRIDGE RESP IRATOR |
| FOR ORGANIC VAPOR WHEN EXPOSURE EXCEEDS TLV/PEL.RESPIRATOR IS NOT EXPECTED TO BE NEEDED UNLESS USED IN ENCLOSED AREA WITH POOR VENTILATION. |
| Ventilation:NORMAL ROOM VENTILATION,IS EXPECTED TO BE SUFFICIENT. Protective Gloves:IMPERVIOUS |
| Eye Protection:SAFETY GLASSES Other Protective Equipment:WEAR CLOTHING SUFFICIENT TO PREVENT |
| PROLONGED/REPEATED CONTACT. Work Hygienic Practices: USE GOOD CHEMICAL HYGIENCE PRACTICE. AVOID CONTACT. |
| Supplemental Safety and Health KEY1:F2. P |
| ART A OF A 2 PART KIT. SEE P/N IND B FOR OTHER PART. SPEC FOR PART A IS TT-735. |
| ========= Physical/Chemical Properties ========== |
| HCC:F2 Boiling Pt:=82.8C, 181.F |
| Melt/Freeze Pt:=-88.3C, -127.F Vapor Pres:33 |
| Vapor Density:2.07 |
| Spec Gravity:0.79 Evaporation Rate & Description: Reference:3.0(N-BUTYL ACETATE=1) |
| Solubility in Water:COMPLETE Appearance and Odor:CLEAR COLORLESS LIQUID,ALCOHOL ODOR |
| ========= Stability and Reactivity Data ========== |
| Stability Indicator/ |

Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES
OF IGNITION
Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Un ited States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.