

GENERAL CHEMICAL CORPORATION -- SODIUM METABISULFITE -- 6810-00-281-4255

=====
Product Identification
=====

Product ID:SODIUM METABISULFITE

MSDS Date:05/01/1988

FSC:6810

NIIN:00-281-4255

MSDS Number: BGTMM

=== Responsible Party ===

Company Name:GENERAL CHEMICAL CORPORATION

Address:90 EAST HALSEY ROAD

City:PARSIPPANY

State:NJ

ZIP:07054-0389

Info Phone Num:201-515-1840 (MGR. PRODUCT SAFETY)

Emergenc

y Phone Num:800-631-8050

CAGE:0AU44

=== Contractor Identification ===

Company Name:GENERAL CHEMICAL CORPORATION

Address:90 EAST HALSEY ROAD

Box:City:PARSIPPANY

State:NJ

ZIP:07054

Country:US

Phone:973-515-1840

CAGE:0AU44

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM METABISULFITE

CAS:7681-57-4

RTECS #:UX8225000

Fraction by Wt: 100%

Other REC Limits:NONE

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9192

=====
Hazards Identification
=====

=====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE.
Effects of

Overexposure:EYES:IRRITATION,BURNS;SKIN:IRRITATION;INHALATION:IRRITATION OF RESPIRATORY TRACT;INGESTION:IRRITATION OF GASTROINTESTINAL TRACT.VERY LARGE DOSES CAUSE VIOLENT COLIC,DIARRHEA,DEPRESSION AND DEATH.MAY CAUSE SEVERE ALLERGIC REACTION IN SOME ASTHMATICS AND SULFI

TE SENSITIVE INDIVIDUALS.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF RESPIRATORY DISEASE.MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER.SEE DOCTOR;SKIN:REMOVE CONTAMINATED CLOTHING AND SHOES.WASH WITH SOAP AND WATER.SEE DOCTOR;INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR;INGESTION :INDUCE VOMIT.GIVE LARGE QUANTITIES OF WATER OR MI

WALK IF CONSCIOUS.NOTHING BY MOUTH IF UNCONSCIOUS.SEE DOCTOR.

===== Fire Fighting Measures =====

Extinguishing Media:APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR NIOSH-APPROVED SCBA.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP WITH MINIMUM DUSTING AND SHOVEL INTO AN EMPTY CONTAINER AND CLOSE.CAUTIONOUSLY SPRAY RESIDUE WITH PLENTY OF WATER.VENT

WAIT TO CLEAR SO₂ FUMES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED PLACE,AWAY FROM HEAT,WATER,ACIDS AND OXIDIZING AGENTS.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR FOR DUST,MIST AND/OR SULFUR DIOXIDE GAS,AS CONDITIONS INDICATE. SOME EXPOSURES MAY REQUIRE NIOSH-APPROVED SCBA OR SUPPLIE

D AIR RESPIRATOR.

Ventilation:LOCAL EXHAUST IF DUSTY OR MISTY CONDITIONS PREVAILS.THE TLV MAY BE EXCEEDED WITHOUT VISUAL WARNING.

Protective Gloves:COTTON FOR SOLIDS,RUBBER FOR SOLUTIONS.

Eye Protection:GOGGLES.(DO NOT WEAR CONTACT LENSES).

Other Protective Equipment:PROTECTIVE CLOTHING AS NEEDED TO PREVENT PROLONGED/REPEATED SKIN CONTACT,EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES,SKIN AND CLOTHING.WASH THOROUGHLY AFTER HANDLING.LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

PRODUCT RELEASES SULFUR DIOXIDE GAS SLOWLY AT AMBIENT TEMPERATURES.AVOID BREATHING DUST OR MIST.

===== Physical/Chemical Properties =====

HCC:C1

Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES

Spec Gravity:1.48

pH:4.3

Solubility in Water:39%

Appearance and Odor:FINE,WHITE GRANULAR PRODUCT.PUNGENT SULFUR DIOXIDE GAS ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/

Materials to Avoid:YES

OXIDIZERS,ACIDS,WATER.

Stability Condition to Avoid:TEMPERATURES ABOVE 302F(150C) CAUSE EVOLUTION OF TOXIC AND CORROSIVE SULFUR DIOXIDE.

Hazardous Decomposition Products:SULFUR DIOXIDE GAS,SODIUM SULFIDE RESIDUE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies

):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.