

SULFLO INC. -- 60,401-1;VVL-751D #1&2;WIRE ROPE&CHAIN LUBE -- 9150-00-234-5199
===== Product Identification =====

Product ID:60,401-1;VVL-751D #1&2;WIRE ROPE&CHAIN LUBE

MSDS Date:11/01/1988

FSC:9150

NIIN:00-234-5199

MSDS Number: BGVZT

=== Responsible Party ===

Company Name:SULFLO INC.

Address:1158 ERIE AVE.

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Info Phone Num:716-695-358

5

Emergency Phone Num:716-695-3585

Preparer's Name:THOMAS G. MUSILLI

CAGE:JO986

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Phone:716-695-3585

CAGE:1V074

Company Name:SULFLO INC.

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:

US
Phone:716-695-3585
CAGE:JO986

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL
CAS:64742-65-0
RTECS #:PY8038500
Fraction by Wt: 50%
OSHA PEL:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:MINERAL OIL
CAS:4742-16-1
Fraction by Wt: 48%
OSHA PEL:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:PETROLEUM SULFONATE
CAS:25619-56-1
Fraction by Wt: 2%

=====
Hazards Identification
=====

Routes of Entry:

Inhalation:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND
RESPIRATORY TRACT POSSIBLE.NO ILL EFFECTS ARE KNOWN TO MFR.
Explanation of Carcinogenicity:NTP & IARC LIST"SOME MINERAL OIL". MFR
CLAIMS PRODUCTS IS NOT CARCINOGENIC.
Effects of Overexposure:MILD IRRITATION TO SKIN OR EYE. NOT AN
INHALATION HAZARD UNLESS MISTED (A VERY UNUSUAL OCCURRANCE).
Medical Cond Aggravated by Expos
ure:NONE REPORTED.

=====
First Aid Measures
=====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.
GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER
FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.
SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF
IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE
VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIAT

E

MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:430F,221C

Autoignition Temp:Autoignition Temp Text:470F

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG,EARTH OR SAND.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:NONE NO

TED.FIRE OR EXCESSIVE HEAT MAY

CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN

A COOL,DRY,WELL VENTILATED

AREA.KEEP AWAY FROM SPARKS & OPEN FLAMES.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID

PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES.

USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE EXPECTED TO BE NECESSARY. USE NIOSH/MSHA

RESPIRATOR APPROVED FOR OIL MIST IN THE UNLIKELY EVENT. THE PRODUCT IS MI

STED.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:RUBBER,PLASTIC,OTHER IMPERVIOUS

Eye Protection:SAFETY GLASSES.OR SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NO

T BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F/371C

Spec Gravity:0.91

Solubility in Water:NIL

Appearance and Odor:DARK VISCOUS OIL,BLAND ODOR.

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:N

ORMAL PRODUCTS OF COMBUSTION;CARBON

DIOXIDE,CARBON MONOXIDE,SULFUR OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL,REGULATIONS.

MFR SUGGESTS INCINERATE OR RECYCLE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrant

s this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.