View NSN Online: https://aerobasegroup.kr/nsn/6850-01-263-8220

MET-L-CHEK COMPANY -- FP-94 PENETRANT,FLUORESCENT(SEE SUPPL DATA)

6850-01-263-8220

Product ID:FP-94 PENETRANT, FLUORESCENT (SEE SUPPL DATA)

MSDS Date:10/15/1986

FSC:6850

NIIN:01-263-8220

Kit Part:Y

MSDS Number: BGXDN === Responsible Party ===

Company Name: MET-L-CHEK COMPANY

Address:1639 ECULID STREET

City:SANTS MONICA

State:CA

ZIP:90404-3770 Country:US

Info Phon

e Num:213-450-1111

Emergency Phone Num:213-450-1111

CAGE:98733

=== Contractor Identification ===

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046


CAGE:98733

======= Composition/Information on Ingredients ========

Ingred Name:DISTILLATE (PETROLEUM),HYDROTREATED MIDDLE; ON MSDS MFR SIMPLY NOTED AS "PETROLEUM HYDROCARBON" FOR ABOVE CAS NO.

CAS:64742-46-7 RTECS #:JN9379645

**OSHA PEL:5** 



======== Accidental Release Measures ===========

Spill Release Procedures:ELIM IGNITION SOURCES.WEAR APPROPRIATE PROTECTIVE CLOTHING & RESPIRATOR.DIKE & TRANSFER LIQ TO A SALVAGE TANK.SOAK UP RESIDUE WITH ABSORBENT CLAY,SAND OR OTHR MATL.PLACE RAGS & ABSORBED WASTE MATERL I N COVERED NON-LEAKING CONTAINERS.

========== Handling and Storage =============

Handling and Storage Precautions: KEEP A

WAY FROM HEAT/IGNITION SOURCES. STORE IN DRY, COOL, & VENTILATED LOCATION. DO NOT STORE NEAR OXIDIZING MATERIAL. AVOID PHYSICAL DAMAGE TO CANS. Other Precautions: MINIMIZE SKIN CONTACT. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: IF EXPOSURE EXCEEDS TVL, USE NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. Ventilation: PER MANUFACTURER, PROVIDE LOCAL EXHAUST, OR MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV. Protective Gloves:CHEMICAL RESISTANT. Eye Protection: GOGGLES Other Protective Equipment: EYE WASH FOUNTAINS AND SAFETY SHOWERS. Work Hygienic Practices: WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health NSN FOR 2 PARTS KIT FOR TYPE I, METHOD B LEVEL 1 OF MIL-I-25135, REVISION D;I/A/W QPL-25135-15,THE KIT CONTAINS 1-5 GAL OF FP-94 PENETRANT AND 2-5 GAL E-57 EMULSIFIER; KEY1:N1; THIS ENTRY DESCRIBES THE P /N:FP-94 PENETRANT;SEE PNI"B" FOR E-57 EMUL SIFIER. ========= Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:>400F/>204C Spec Gravity:0.86 Solubility in Water: NEGLIGIBLE Appearance and Odor:YELLOW-GREEN LIQUID.SLIGHT HYDROCARBON ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES **OXIDIZING MATERIAL** Stability Condition to Avoid: HEAT & IGNITION SOURVCES. Hazardous Decomposition Products: CARBON MONOXIDE & OTHER UNIDENTIFIED ORGANI C COMPOUNDS.

======= Disposal Considerations ============

Waste Disposal Methods: DISPOSE OF AS EPA HAZARDOUS WASTE #D001,IGNITABLE WASTE.PLACE WASTE MATERIAL IN AN APPROPRIATE DISPOSAL FACILITY, OR DISPOSE OF IN COMPLIANCE WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner w

hatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.