View NSN Online: https://aerobasegroup.kr/nsn/6850-00-466-6879

## VIRGINIA KMP CORPORATION -- GAS LEAK LOCATOR GL6 -- 6850-00-466-6879

Product ID:GAS LEAK LOCATOR GL6

MSDS Date:04/09/1986

FSC:6850

NIIN:00-466-6879

MSDS Number: BGXHG === Responsible Party ===

Company Name: VIRGINIA KMP CORPORATION

Address:4100-PLATINUM WAY

City:DALLAS State:TX ZIP:75237 Country:US

Info Phone Num:214-330-7731

Emergency Phone Num:214-330-7731

Prepa

rer's Name: ROGER CARLONE

CAGE:DO738

=== Contractor Identification ===

Company Name: VIRGINIA K M P CORPORATION

Address:4100 PLATINUM WAY

Box:City:DALLAS

State:TX ZIP:75237 Country:US

Phone:214-330-7731

CAGE:8J132

Company Name: VIRGINIA KMP CORP.

Address:4100 PLATINUM WAY

City:DALLAS State:TX ZIP:75237 Country:US

Phone:214-330-7731

CAGE:DO738

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name: GLYCERIN

CAS:56-81-5

**RTE** 

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:SLIGHT IRRITATION OF EYES AND SKIN:ALSO RESPIRATORY IRRITATION IN CASE OF INHALATION OF VAPORS/MIST, CHRONIC:NOT KNOWN. Explanation of Carcinogenicity: NO DATA PER MSDS Effects of Overexposure: SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure: NOT KN OWN. First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. ============ Fire Fighting Measures ========================= Flash Point:NONE Extinguishing Media:N/R;USE SUITABLE MEDIA FOR SURROUDING FIRE. Fire Fighting Procedures: N/R: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA IF APPLICABLE. Unusual Fire/Explosion Hazard: NONE EXPECTED PER MS DS. ========= Accidental Release Measures =============== Spill Release Procedures: USE PROPER PERSONAL PROTECTION; DILUTE WITH PLENTY OF WATER AND RECOVER FOR PROPER DISPOSAL. ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN COOL, DRY AREA. WASH AFTER USE THOROUGHLY. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPO

CS #:MA8050000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 (MIST) 9293

RS/MIST IF ABOVE PEL/TLV (NORMALLY NOT NEEDED IN CASE OF GOOD VENTILATION). Ventilation: NORMAL ROOM VENTILATION. Protective Gloves: AS REQUIRED. Eye Protection: SAFETY GOGGLES. Other Protective Equipment: APRON; EYE-WASH FACILITIES. Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE VAPORS/MIST. Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:N1 Spec Gravity:1.23 Solubility in Water:SOLUBLE Appearance and Odor:CLE AR VICOUS LIQUID. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid: DO NOT USE ON OXYGEN SYSTEM. Hazardous Decomposition Products: NONE KNONW (PER MSDS) ======= Disposal Considerations =========== Waste Disposal Methods: DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE

& FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling a gencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.