

MIDLAND DIVISION DEXTER CORP -- LX500 GLOSS CLEAR -- 5895-00-261-3419

=====
Product Identification
=====

Product ID:LX500 GLOSS CLEAR

MSDS Date:07/23/1990

FSC:5895

NIIN:00-261-3419

Kit Part:Y

MSDS Number: BGXJT

=== Responsible Party ===

Company Name:MIDLAND DIVISION DEXTER CORP

Address:31500 HAYMAN ST

City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Info Phone Num:415-471-7171

Emergency Phone Num:

415-471-7171/415-791-1961 (NIGHTS)

Preparer's Name:J. SCARBALIS

CAGE:98795

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER CROWN METRO AEROSPACE DIV

Address:31500 HAYMAN ST

Box:City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Phone:510-471-7171

CAGE:98795

Company Name:DRESSER ARGUS INC

Address:36 BRIDGE ST

Box:City:BROOKLYN

State:NY

ZIP:11201-1115

Country:US

Phone:718-643-1540

CAGE:84583

=====
Composition/Information on Ingredients
=====

Ingred Name:NO IN

INGREDIENT FOR THIS FORMULATION_INGREDIENT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO BODY TISSUES.
TOXICITY IS MODERATELY LOW TARGETING KIDNEYS,LIVER,CENTRAL NERVOUS
SYSTEM.
Explanation of Carcinogenicity:CARCINOGENS BENZENE AND FORMALDEHYDE ARE
LISTED AS BEING IN TRACE AMOUNTS IN THIS FO
RMULATION.
Effects of Overexposure:EYE,SKIN CONTACT:IRRITATION. INHALED:IRRITATION
OF RESPIRATORY TRACT,HEADACHE,DIZZINESS,DROWSINESS.
Medical Cond Aggravated by Exposure:MATERIAL CAUSES CARDIAC
SENSITIZATION AND TARGETS THE KIDNEYS, LIVER AND RESPIRATORY TRACT.

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:REMOVE CONTAMINATED
CLOTHING. WASH AREA WITH SOAP AND WATER. LAUNDER CLOTHING BEFORE
REUSE. INHALED:REMOVE
FROM EXPOSURE. GIVE ARTIFICIAL RESPIRATION OR
OXYGEN IF NEE DED. INGESTED:DO NOT INDUCE VOMITING. GIVE WATER OR
MILK. (NOTHING BY MOUTH IF UNCONSCIOUS).GET IMMEDIATE MEDICAL CARE.
IF SYMPTOMS PERSIST OR ARE SEVERE,GET MEDICAL CARE.

===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:22.0F,-5.6C
Lower Limits:1.2
Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG.
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING A
PPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. VENTILATE AREA.
ABSORB WITH INERT MATERIAL. REMOVE WITH NON-SPARKING TOOLS.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED
AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE.AVOID BUILDUP OF STATIC
ELECTRICIT

Y.

Other Precautions:"EMPTY" DRUMS MAY CONTAIN RESIDUE OR VAPORS.
EXPLOSION HAZARD. HAVE THEM INDUSTRIALLY CLEANED BEFORE
CUTTING,WELDING,REUSE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR EQUIPPED WITH
CARTRIDGE FOR ORGANIC VAPORS/MISTS OR SUPPLIED AIR RESPIRATOR IF
EXPOSED ABOVE TLV/PEL.

Ventilation:USE NORMAL ROOM VENTILATION.

Protective Gloves:IMPERVIOUS (RUBBER PVC).

Eye Protection:SAFETY GLA

SSES OR SPLASH GOGGLES.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID ALL
UNNECESSARY CONTACT.

Supplemental Safety and Health

KEY1:F3 PART A OF A KIT CONTAINING 4 PARTS WITH MSDS.KIT SUPPLIED BY
ALEK INC. CAGE 65534. KIT IS P/N D-701.

=====
===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:172-302

Vapor Density:>1 AIR=1

Appearance and Odor:LIQUID WITH SOLVENT ODOR

=====
===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

NONE REPORTED EXPECT AMINES AND OXIDIZERS.

Stability Condition to Avoid:NONE REPORTED.

Hazardous Decomposition Products:CARBON MONOXIDE,NITROGEN OXIDES.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.
HMIS SUGGESTS INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by element

s of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.