

FINE ORGANICS CORPORATION -- FO 425 A PETROLEUM SOLVENTS -- 6850-00-274-5421

=====
Product Identification
=====

Product ID:FO 425 A PETROLEUM SOLVENTS

MSDS Date:04/17/1989

FSC:6850

NIIN:00-274-5421

MSDS Number: BGXQR

=== Responsible Party ===

Company Name:FINE ORGANICS CORPORATION

Address:205 MAIN STREET

Box:687

City:LODI

State:NJ

ZIP:07644-0687

Country:US

Info Phone Num:201-472-6800

Emergency Ph

one Num:800-526-7480/800-424-9300(CHEMTREC)

Preparer's Name:NOREEN DYJEZMIC

CAGE:05867

=== Contractor Identification ===

Company Name:FINE ORGANICS CORP

Address:420 KULLER RD

Box:2277

City:CLIFTON

State:NJ

ZIP:07015

Country:US

Phone:973-478 1000

CAGE:05867

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBON

CAS:64742-47-8

Fraction by Wt: 100%

Other REC Limits:300 PPM MANUFACTURER

OSHA PEL:400 PPM

ACGIH TLV:400 PPM

=====
Haza

Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN CONTACT MAY LEAD TO EXTRACTION OF
NATURAL OILS WITH RESULTANT IRRITATION.INHALATION OF HIGH VAPOR
CONCENTRATIONS MAY HAVE RESULTS RANGING FROM MILD DEPRESSONARY
INJURY IF ASPIRATED INTO LUNGS.
Effects of Overexposure:EYES/SKIN:IRRITATION. INHALATION:RESPIRATORY
IRRITATION. INGESTION:IRRITATION
.PULMONARY INJURY IF ASPIRATED INTO
LUNGS.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF
RESPIRATORY OR SKIN DISEASES MAY BE AT INCREASED RISK FROM
EXPOSURE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.SEE DOCTOR.
SKIN:REMOVE CONTAMINATED CLOTHING AND SHOES. WASH WITH SOAP AND
WATER.SEE DOCTOR. INHALATION: REMOVE VICTIM TO FRESH AIR.GIVE
OXYGEN/CPR IF WATER OR MILK IF
CONSCIOUS.DO NOT INDUCE VOMIT.SEE
DOCTOR IMMEDIATELY.NOTHING BY MOUTH IF UNCONSCIOUS.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:160F,71C
Lower Limits:0.6
Upper Limits:7
Extinguishing Media:FOAM,DRY CHEMICAL,CARBON DIOXIDE,WATER FOG.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING.USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS
AND TO DISPERSE UNIGNITED VAPORS
Unusual Fire/Explos
ion Hazard:COMBUSTIBLE LIQUID.TREAT WITH CAUTION.

===== Accidental Release Measures =====

Spill Release Procedures:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.WEAR
PROTECTIVE CLOTHING & EQUIPMENT.EVACUATE PERSONNEL.ELIMINATE
IGNITION SOURCES.VENTILATE AREA.USE NON-SPARKING TOOLS.STOP
LEAK.ABSORB IN INERT ABSORBENT & PLACE INTO APPROPRIATE DISPOSAL
CONTAINER & SEAL.

===== Handling and Storage =====

Handling and Storag

e Precautions:STORE IN COOL,DRY,WELL VENTILATED
PLACE,AWAY FROM HEAT,IGNITION SOURCES AND INCOMPATIBLE
MATERIALS.KEEP CONTAINERS CLOSED WHEN NOT IN USE.
Other Precautions:BOND AND GROUND CONTAINERS.NO SMOKING IN AREA.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA RESPIRATOR WITH CARTRIDGE APPROPRIATE
FOR EXPOSURE OF CONCERN OR SCBA IF TLV IS EXCEEDED.

Ventilation:SUFFICIENT MECHANICAL (GENERAL) AND/OR LOCAL EXHAUST
VENTILAT

ION TO MAINTAIN EXPOSURE BELOW TLV.USE EXPLOSION-PROOF EQ.

Protective Gloves:NEOPRENE.

Eye Protection:SPLASH GOGGLES,FACE SHIELD.

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED SKIN CONTACT. EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES & SKIN.DO NOT BREATHE
VAPORS.WASH THOROUGHLY AFTER HANDLING.LAUNDER CONTAMINATED
CLOTHING.

Supplemental Safety and Health

EMPTY CONTAINERS MAY RETAIN HAZARDOUS PRODUCT RESIDUES (VAP
ORS OR

LIQUID).OBSERVE ALL LABELED PRECAUTIONS.

=====
===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:401-490F

Vapor Pres:5

Spec Gravity:0.79

Evaporation Rate & Reference: