

HULS AMERICA INC. -- MIL-L-6085B/PQ RUST PREVENTIVE 160#0430008 -- 9150-00-257-5449  
===== Product Identification =====

Product ID:MIL-L-6085B/PQ RUST PREVENTIVE 160#0430008

MSDS Date:01/16/1989

FSC:9150

NIIN:00-257-5449

MSDS Number: BHCJS

=== Responsible Party ===

Company Name:HULS AMERICA INC.

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854

Country:US

Info Phone Num:201-763-7173

Emergency Phone Num:201-763-7173

Preparer's Name:P.A. PARKER

CAGE:0DH22

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name:HUL AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:201-763-7173

CAGE:0DHB8

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP

:08854-0365  
Country:US  
Phone:908-981-5016  
CAGE:0DH22

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SULFONIC ACIDS,PETROLEUM,SODIUM SALTS  
CAS:68608-24-4  
Fraction by Wt: 100.0%

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:LOW ORAL AND DERMAL  
TOXICITY;MIST OR FUMES FROM EXCESSIVE HEATIN  
G MAY CAUSE EYE AND  
SKIN IRRITATION,NAUSEA,VOMITING,RESPIRATORY TRACT IRRITATION.  
Explanation of Carcinogenicity:NO DATA AVAILABLE  
Effects of Overexposure:SEE HEALTH HAZARDS DATA.  
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN.

=====  
First Aid Measures  
=====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES:FLUSH WITH PLENTY OF  
WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL HELP. INHALATION:REMOVE  
TO FRESH AIR;SEEK MEDICA  
L HELP. INGESTION:DO NOT INDUCE  
VOMITING;CALL A PHYS ICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:440F/227C  
Extinguishing Media:WATER FOG,DRY CHEMICAL,FOAM OR CO\*2.  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED  
AREA.  
Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT BUILDS UP PRESSURE IN  
CLOSED CONTAINERS;COOL WITH WATER SPRAY.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;REMOVE ALL IGNITION SOURCES;CONTAIN FREE MATERIAL.USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA;OPERATING TEMPERATURE 440F;DO NOT USE ABOVE THIS TEMPERATURE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT NEEDED;IF OVER HEATED;USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL/TLV.

Ventilation:USE LOCAL/GENERAL TO MAINTAIN ADEQUATE CFM.

Protective Gloves:IMPERVIOUS.

Eye Protection:CHEMICAL GOGGLES/FACESHIELD.

Other Protective Equipment:EYE-WASH FOUNTAIN,SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES & SKIN;DO NOT BREATHE VAPORS/MIST.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boil

ing Pt:B.P. Text:>450F/232C

Vapor Pres:1.0

Spec Gravity: