

CON-LUX COATINGS, INC. -- PRIMER COAT, SYNTHETIC, RUST INHIB. LACQ RE -- 8010-00-292-1127
===== Product Identification =====

Product ID:PRIMER COAT, SYNTHETIC, RUST INHIB. LACQ RE

MSDS Date:10/25/1983

FSC:8010

NIIN:00-292-1127

MSDS Number: BHDKD

=== Responsible Party ===

Company Name:CON-LUX COATINGS, INC.

Address:226 TALMADGE ROAD

Box:847

City:EDISON

State:NJ

ZIP:08818-0847

Country:US

Info Phone

Num:908-287-4000 / FAX 908-287-9288

Emergency Phone Num:908-287-4000

CAGE:60189

=== Contractor Identification ===

Company Name:CON-LUX COATINGS INC

Address:226 TALMADGE RD

Box:847

City:EDISON

State:NJ

ZIP:08818-0847

Country:US

Phone:732-287-4000

CAGE:60189

===== Composition/Information on Ingredients =====

Ingred Name:ZINC CHROMATE

CAS:13530-65-9

RTECS #:GB3290000

Fraction by Wt: 4.2%

OSHA PEL:0.1 MG/M3 (CRO3)

ACGIH TLV:0.01MG/M3(CR)A1;9192

Ingred Name:VM&P NAPHTHA

(VAPOR PRESSURE 15.5 MM @ 100 F)

CAS:8032-32-4

RTECS #:OI6180000

Fraction by Wt: 28.1%

ACGIH TLV:500 PPM

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO1400000

Fraction by Wt: 9.8%

OSHA PEL:100 PPM

ACGIH TLV:S, C 50 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:IRRITATION OF EYES AND SKIN MAY OCCUR WITH
OVEREXPOSURE

RE. CONTINUED BREATHING OF VAPORS IN SOME INSTANCES, MAY
IRRITATE RESPIRATORY TRACT & CAUSE HEADACHE OR DIZZINESS, WHICH
IS NORMAL FOR SOLVENT BASE PRODUCTS

=====
===== First Aid Measures =====

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. IF INHALED,
REMOVE TO FRESH AIR. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:50 F 10 C

Extinguish

Media:FOAM, CO2, DRY CHEMICAL, WATER MIST

Fire Fighting Procedures:SMOTHER FLAMES WITH ONE OF THE ABOVE

EXTINGUISHING MEDIA. WATER MAY BE USED TO COOL DOWN UNOPENED
CONTAINERS IN VICINITY

Unusual Fire/Explosion Hazard:CONTAINS FLAMMABLE SOLVENT. DO NOT USE IN
AREAS WHERE SPARKS OR OPEN FLAMES ARE PRESENT

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID
PROLONGED BREATHING OF VAPORS. AVOID

TILATE AREA. CLEAN UP
WITH ABSORBENT MATERIAL

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE IN BUILDINGS DESIGNED AND PROTECTED FOR STORAGE OF NFPA CLASS II FLAMMABLE LIQUIDS
Other Precautions: STORE IN BUILDINGS DESIGNED AND PROTECTED FOR STORAGE OF NFPA CLASS II FLAMMABLE LIQUIDS

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: OUTDOOR OR OPEN AREAS, USE NIOSH APPROVED FILTER
RESPIRATOR TO REMOVE SOLID AIR-BORNE PARTICLES. IN RESTRICTED VENTILATION AREAS, USE NIOSH APPROVED CHEMICAL FILTERS TO REMOVE COMBINATION OF VAPORS

Ventilation: PROVIDE GENERAL DILUTION OR LOCAL EXHAUST VENTILATION IN VOLUME AND PATTERN BELOW ACCEPTABLE LIMIT

Protective Gloves: REQUIRED FOR LG OR REPEATED EXPOSURE

Eye Protection: TO PROTECT AGAINST SPLASH OF LIQUIDS

Other Protective Equipment: PREVENT PROLONGED SKIN CONTACT WITH CONTAMINATED CLOTHING

Supplemental Sa

fety and Health

NK

=====
Physical/Chemical Properties
=====

HCC: F3

Boiling Pt: B.P. Text: 243-245 F

Vapor Density: > AIR

Evaporation Rate & Reference: SLOWER THAN ETHR

Percent Volatiles by Volume: 64.6

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid: YES

NK

Hazardous Decomposition Products: CO, CO2

=====
Disposal Considerations
=====

Waste Disposal Methods: DISPOSE IN ACCORDA

NCE WITH LOCAL, STATE &
FEDERAL REGULATIONS. DO NOT INCINERATE UNOPENED CONTAINERS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

ass
sume responsibility for the suitability of this information to their particular situation.