

JONES-HAMILTON COMPANY -- SODIUM BISULFATE -- 7930-00-559-9481

===== Product Identification =====

Product ID:SODIUM BISULFATE

MSDS Date:04/07/1986

FSC:7930

NIIN:00-559-9481

MSDS Number: BHDNH

=== Responsible Party ===

Company Name:JONES-HAMILTON COMPANY

Address:8400 ENTERPRISE DRIVE

City:NEWARK

State:CA

ZIP:94560

Country:US

Info Phone Num:419-666-9838

Emergency Phone Num:415-797-2471

CAGE:OMD27

==

= Contractor Identification ===

Company Name:JONES-HAMILTON COMPANY

Address:8400 ENTERPRISE DRIVE

Box:City:NEWARK

State:CA

ZIP:94560

Country:US

Phone:415-797-2471

CAGE:OMD27

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM BISULFATE ANHYDROUS GLOBULAN

CAS:7681-38-1

RTECS #:VZ1860000

Fraction by Wt: 94.5%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicit

y:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:NOT LISTED

Effects of Overexposure:EYE: WATERING

SKIN: MILD BURNS, MILD TO SEVERE

IRRITANT INHAL: IRRITANT,

MILD BURNING SENSATION MAY OCCUR TO MUCOUS MEMBRANES &
UPPERRESPIRATORY TRACT.; INGST: IRRITANT

=====
First Aid Measures
=====

First Aid:EYES: FLUSH THOROUGHLY W/WTR FOR 15 MINS. GET PROMPT MEDICAL
ATTENTION SKIN: FLUSH W/WTR FOR 15 MINS. IF BU
RNS OCCUR

OBTAIN MEDICAL ATTENTION INHAL: REMOVE TO FRESH AIR.INGST:
DRINK LG QTY OF WATER/MILK, FOLLOW W/MILK OF MAGNESIA, BEATEN EGGS
OR VEGETABLE OIL. DO NOT INDUCE VOMITING. CONTACT PHYSICIAN
IMMEDIATELY

=====
Fire Fighting Measures
=====

Flash Point:NR

Extinguishing Media:WATER OR DRY CHEMICAL AS APPROPRIATE FOR
COMBUSTIBLE IN AREA

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS SHOULD BE
WORN. IF WTR IS USED TO
EXTINGUISH COMBUSTIBLES & PRODUCTIS

DISSOLVED IN WTR FORMING SULFURIC ACID USE PROTCT EQUIP

Unusual Fire/Explosion Hazard:PRODUCT READILY DISSOLVES IN WTR TO FORM
A WEAK SULFURIC ACID SOLUTION. NO GASESOR TOXIC FUMES ARE EMITTED
FROM THIS REACTION,TAKE PRECAUTIONS FROM EXPOSURE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SMALL:MATL IS A GRANULAR PRODUCT & CAN BE
SWEPT UPFROM SURFACES.;LARGE: PICK UP AS MUCH AS POSSIBLE W/SHOVEL
OR OTHER TOOL.NEUTRALIZE BALANCE OF SPILLW/WEAK ALKALINE SOLUTION,&
WASH DOWN TO SEWER IF FEDERAL,STATE,& LOCAL REGULATION PERMIT.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID CONTACT W/SKIN,EYES,OR CLOTHING.
DONOT STOREWHERE EXPOSED TO MOIST CONDITIONS. KEEP
CONTAINERSTIGHTLY CLOSED. KEEP AWAY FROM STRONG ALKALIES.

Other Precautions:WEAR ALL RECOMMENDED PROTECTIVE EQUIPMENT WHEN
HANDLING.

=====
Expos

ure Controls/Personal Protection =====

Respiratory Protection:NIOSH OR MSHA CERTIFIED DUST MASK SHOULD BE WORN WHILE HANDLING PRODUCT

Ventilation:LOCAL VENTILATION TO A DUST COLLECTOR IS RECOMMENDED

Protective Gloves:RUBBER OR NEOPRENE

Eye Protection:SAFETY GOGGLES OR FULL FACESHIELD

Other Protective Equipment:CLOTHES SHOULD COMPLETELY COVER SKIN TO AVOID SKIN CONTACT. COATS, COVERALLS, OR APRONS ARE RECOMMENDED

Work Hygienic Practices:USE COMMON SENSE AND CARE AROUND CHEMICALS

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:350F

Vapor Pres:NA

Vapor Density:NA

Evaporation Rate & Reference:NA

Solubility in Water:100

Appearance and Odor:OFF WHITE, BEAD LIKE, GRANULAR,DRY MATERIAL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT W/STRONG ALKALINE MATL SUCH AS CAUSTIC. REACTSW/WTR TO FORM WEAK SULFURIC ACID SOLUTION

Stability Condition to Avoid:STORE IN DRY AREA TO AVOID MOISTURE CONTACT

Hazardous Decomposition Products:NONE UNLESS HEATED OVER 570F AT WHICH SULFUR DIOXIDE,SULFUR TRIOXIDE ARE FORMED

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH ALL THE FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Departm

ent
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.