View NSN Online: https://aerobasegroup.kr/nsn/8010-00-597-8199

Product ID:TT-P-91D, TY2, AMD 2 MSDS Date:01/01/1987 FSC:8010 NIIN:00-597-8199 **MSDS Number: BHDPK** === Responsible Party === Company Name: TRIAD PAINT AND CHEMICAL CORP Address:810 EVERGREEN AVENUE City:BROOKLYN State:NY ZIP:11207 Country:US Info Phone Num:(718) 443-2778 Emergency Phone Num:(718) 443-2778 CAGE:33151 === Contractor Identification === Company Name: STEVEN INDUSTRIES Address:39 AVENUE C Box:8 **City:BAYONNE** State:NJ ZIP:07002-3417 Country:US Phone:201-437-6501 CAGE:33150 Company Name: TRIAD PAINT AND CHEMICAL CORP Address:810 EVERGREEN AVE Box:City:BROOKLYN State:NY ZIP:11207-1140 Country:US CAGE:33151

Ingred Name:MINERAL SPIRITS CAS:64741-41-9 ACGIH TLV:100 PPM

Ingred Name:CELLOSOLVE ACETATE CAS:111-1

5-9 RTECS #:PJ4375000 ACGIH TLV:100 PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:VAPORS MIGHT BE IRRITATING TO EYES, NOSE & THROAT. EXCESSIVE EXPOSURE MAY RESULTIN HEADACHE, DIZZINGESS, & NAUSEA. DEFATTING TO SKIN.
Effects of Overexposure:VAPORS MIGHT BE IRRITATING TO EYES, NOSE & THROAT. EXCESSIVE EXPOSURE MAY RE
SULTIN HEADACHE, DIZZINESS, & NAUSEA. DEFATTING TO SKIN

First Aid:INHALATION: PROVIDE FRESH AIR, AND REST. SKIN: WASH AFFECTD AREA WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. DRINK 1 OR 2 GLASSES OF WATER TO DILUTE. SEE A PHYSICIAN. AND EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES.

Flash Point:105 F 41 C Lower Limits:1.0 U pper Limits:7.0 Extinguishing Media:CO2, DRY CHEMICAL, AND FOAM Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS TO AVOID INHALATION OF SMOKE OR VAPORS. DO NOT USE WATER. Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAMES. VAPORS FORM EXPLOSIVE MIXTURE BETWEEN UPPER AND LOWER EXPLOSIVE UNITS

Spill Release Procedures: VENTILATE AREA. REMOVE ALL SOURCES OF

IGNITION. PICK UP SPILL IMMEDIATELY WITH INERT ABSORBENT(S) & NON-SPARKING TOOL. SAFETLY DISPOSE OF SATURATED ABSORBENTS BY IMMERSING IN WATER. WEAR PROTECTIVE CLOTHING DURING CLEAN-UP Handling and Storage Precautions: AVOID OPEN FLAME AND SPARKS SOURCES. PROVIDE ADEQ-UATE VENTILATION. AVOID EXCESSIVE HEAT Other Precautions: DO NOT TAKE INTERNALLY. AVOID PROLONGED/REPEATED CONTACT WITH SKIN. AND AVOID PRLONG ED/REPEATED BREATHING OF VAPORS Respiratory Protection: ORGANIC CANNISTER MASK OR AIR PACK IF VENTILATION IS INADEQUATE Ventilation: LOCAL IS RECOMMENDED AND MECHANICAL WITH APPROVED EXPLOSION **PROOF MOTER AND SWITCHES** Protective Gloves: NEOPRENE RUBBER GLOVES Eye Protection: CHEMICAL SAFETY GOGGLES Supplemental Safety and Health NK Boiling Pt:B.P. Text: 313-382 F Spec Gravity:1.12 Evaporation Rate & amp; Reference:.2

Solubility in Water:NEGLIGIBLE Appearance and Odor:GRAY COLORED LIQUID. SWEET ODOR

Percent Volatiles by Volume:68.7

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES Stability Condition to Avoid:WARM STORAGE AND IGNITION SOURCES Hazardous Decomposition Products:CO, CO2, SMOKE, TOXIC VAPORS, FUMES AND CARBON TETRACHLORID Waste Disposal Methods:DISPOSAL METHOD MUST COMPLY WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any perso n utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.