View NSN Online: https://aerobasegroup.kr/nsn/8010-00-598-5733

## GLIDDEN COMPANY -- WALL CEILING PT. WHITE ID 9020 -- 8010-00-598-5733

Product ID:WALL CEILING PT. WHITE ID 9020

MSDS Date:01/08/1988

FSC:8010

NIIN:00-598-5733

MSDS Number: BHDQG === Responsible Party ===

Company Name: GLIDDEN COMPANY

Address:925 EUCLID AVENUE

Box:NA

City:CLEVELAND

State:OH ZIP:44115 Country:US

Info Phone Num:216-826-5566 Emergency Phone Num:216-

826-5566 CAGE:01PD6

=== Contractor Identification ===

Company Name: GLIDDEN CO MEMBER OF ICI WORLD PAINTS

Address:925 EUCLID AVE

Box:15049

City:CLEVELAND

State:OH ZIP:44115 Country:US

Phone:216-344-8000

CAGE:72818

Company Name: GLIDDEN PAINT, ICI PAINTS NORTH AMERICA

Address:925 EUCLID AVE Box:City:CLEVELAND

State:OH ZIP:44115 Country:US

Phone:800-545-2643/216-344-8207

CAGE:01PD6

====== Composition/Information on Ingredients ========

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

**RTEC** 

S #:XR2275000 Fraction by Wt: 6% OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name: ALUMINUM SILICATE (AS NUISANCE DUST OR PARTICULATES NOT

OTHERWISE REGULATED)

CAS:1302-76-7

RTECS #:BD1450000 Fraction by Wt: 16%

OSHA PEĹ:15 MG/M3 TOTAL DUST ACGIH TLV:10 MG/M3 TDUST;8990

Ingred Name:TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6 RTECS #:WW2710000 Fraction by Wt: 9%

Fraction by Wt: 9% OSHA PEL:2 MG/M3 RDUST

ACGIH TLV:2 MG/M3 RDUST; 9192

========= Hazards Identification ========

========

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure: IRRITATION OF EYES, SKIN, RESPIRATORY TRACT

Medical Cond Aggravated by Exposure: NOT DETERMINED

First Aid:INGEST: OBTAIN MEDICAL TREATMENT IMMEDIATELY. EYE: FLUSH IMMEDIATELY W/LG AMOUNTOF WATER. ESPECIALLY UNDER LIDS FOR 15 MINUTES. OBTAIN EMERGENCY TREATMENT SKIN: WASH OFF QUICKLY

W/PLENTY OF WATER. THEN SOAP & WATER, REMOVE CONTAMINATEDCLOTHING. INHAL: REMOVE TO FRESH AIR. RESTORE & SUPPORT CONTINUED BREATHING. HAVE TRAINED PERSON GIVE OXYGEN IF NECESSARY. GET MEDICAL EMERGENCY ATTENTION.

Flash Point:200F/94C

Extinguishing Media: DRY CHEMICAL OR FOAM

Fire Fighting Procedures: WATER MAY BE USED TO COOL AND PROTECT EXPOSED

CONTAINERS.

Unusual Fire/Explosion Hazard:CLOS

EXTREME HEAT OF FIRE.
======== Accidental Release Measures ==========
Spill Release Procedures: VENTILATE AREA. COMPLY WITH ALL APPLICABLE HEALTH AND ENVIRONMENTAL REGULATIONS.
=========== Handling and Storage ==============
Handling and Storage Precautions:STORE BELOW 100F. KEEP CONTAINERS TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE. IF SANDING IS DONE, WEAR A DUSTMASK TO AVOID BREATHING THE DUST.  Other Precautions:DO NOT TAKE INTERNALLY. AVOID CONTACT WITH SKIN AND EYES, AND BREATHING OF VAPORS. KEEP OUT OF REACH OF CHILDREN.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:CONTROL ENVIRONMENTAL CONCENTRATIONS BELOW APPLICABLE STANDARDS. WHERE RESPIRA TORY PROTECTION IS REQUIRED USE IN ACCORDANCE WITH OSHA 29 CFR 1910-134. Ventilation:LOCAL EXHAUST TO PREVENT BUILD UP OF VAPORS. Eye Protection:SAFETY GLASSES/GOGGLES Other Protecti ve Equipment:EYE WASH, SAFETY SHOWER Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING OR SMOKING. Supplemental Safety and Health NK
========= Physical/Chemical Properties ==========
Appearance and Odor:LIQUID, WHITE Percent Volatiles by Volume:78.02
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NOT DETERMINED Stability Condition to Avoid:NOT DETERMINED Hazardous Dec

ED CONTAINERS MAY BURST IF EXPOSED TO

=======================================	<b>Disposal Considerations</b>	

omposition Products: CARBON MOXOIDE, CARBON DIOXIDE

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH STATE, FEDERAL, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and dis

claims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.