View NSN Online: https://aerobasegroup.kr/nsn/8010-00-903-9177

THE SHERWIN WILLIAMS COMPANY -- (KEM *TRADE MARK) BULLETIN COLOR BLK C20B1 - 8010-00-903-9177

Product ID:(KEM *TRADE MARK) BULLETIN COLOR BLK C20B1 MSDS Date:01/13/1983 FSC:8010 NIIN:00-903-9177 MSDS Number: BHDYF === Responsible Party === Company Name: THE SHERWIN WILLIAMS COMPANY Address:101 PROSPECT AVENUE N.W. City:CLEVELAND State:OH ZIP:44115 Country:US Info Phone Num: (216) 566-2902 Emergency Phone Num: (216) 566-2917 CAGE:82927 === Contractor Identification === Company Name: SHERWIN-WILLIAMS CO THE Address:101 PROSPECT AVE NW Box:City:CLEVELAND State:OH ZIP:44115-1042 Country:US Phone:800-251-2486/216-566-2242 CAGE:54636 Company Name: THE SHERWIN WILLIAMS COMPANY Address:101 PROSPECT AVENUE N.W. Box:City:CLEVELAND State:OH ZIP:44115-1042 Country:US Phone:216-566-2917/216-566-2902 CAGE:82927

========= Composition/Information on Ingredients ==

============

Ingred Name:MINERAL SPIRITS (VAPOR PRESSURE 2.0) Fraction by Wt: 45% OSHA PEL:NKNE ACGIH TLV:100 PPM/581 MG/M3

Ingred Name:LEAD DRIER (OSHA PEL FROM 29CFR 1910.1025) Fraction by Wt: 0.04% OSHA PEL:0.05 MG/M3 (PB) ACGIH TLV:0.15 MG/M3 (PB);8990

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Effects of Overexposure:INHALATION:HIGH CONCENTRATION OF VAPORS ARE ANESTHETIC.MAY CAUSE IRRIT ATION, LIGHTHEADEDNESS AND STAGGERING GAIT. SKIN:MAY CAUSE IRRITATION.

First Aid:EYES:FLUSH WITH COPIOUS QUANTITIES OF WATER FOR 15 MINUTES. SKIN:WAS AFFECTED AREA WITH WATER. INHALATION:REMOVE FROM EXPOSURE, RESTORE BREATHING, KEEP WARM AND QUIET.SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT.OBTAIN MEDICAL ATTENTION.

=====

Flash Point Method:PMCC Flash Point:100F/37.78C Upper Limits:1.0 Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM Fire Fighting Procedures:USE S.C.B.A. WATER SPRAY MAY BE INEFFECTIVE. IF USED FOG NOZZLES ARE PREFERABLE WATER MAY BE USED TO COOL CLOSED CONTAINERS. Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE

FROM HEAT,ELECTRICAL EQUIPMENT,SPARKS, &OPEN FLAME. APPLICATIONS TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS.

====== Acciden

tal Release Measures ================ Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT. Handling and Storage Precautions: CONTENTS ARE COMBSTBLE. KEEP AWAY FROM HEAT & OPEN FLAME.USE ONLY W/ADEQ VENTILATION.CLOSE CONTAINER WHEN NOT IN USE, DO NOT TRF CONTENTS TO OTH CONTNRS Other Precautions: DO NOT APPLY ON TOYS & OTH CHILDREN'S ARTICLES, OR ANY INTERIOR/EXT ERIOR SURFACE WHICH MAY BE OCCUPIED OR USED BY CHILDREN. Respiratory Protection: IF ENGINEERING AND ADMINISTRATIVE CONTROLS OF AIR CONTAMINANTS ARE NOT FEASIBLE, USE RESPIRATORY DEVICES APPROVED BY NIOSH/MESA FOR PROTECTION AGAINST SPRAY MIST AND VAPORS. Ventilation:LOCAL EXHAUST PREFERABLE.MECHANICAL (GENERAL) EXHAUST ACCEPTABLE.SPEC VENT REQUIRED TO KEEP BELOW TLV AND LEL. Protective Gloves: REQUIRED FOR P ROLONGED/REPEATED CONTACT. Eye Protection: SAFETY SPECS.W/UNPERFORATED SIDESHIELDS Other Protective Equipment: CONSULT NFPA CODE, USE APPROVED BONDING AND GROUNDING PROCEDURES. Work Hygienic Practices: WASH HANDS AFTER USING. Supplemental Safety and Health NK Boiling Pt:B.P. Text: 300-395F Vapor Density:>AIR Evaporation Rate & amp; Reference: SLOWER THAN ETHER Percent Volatiles by Volume:56.1 ========== Stability a Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF LEAD

Waste Disposal Methods:INCINERATE IN APPROVED FACILITY.DO NOT INCINERATE CLOSED CONTAINER.DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE,AND LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies

): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.