

RELIABLE REMOVER & LACQUER CORP. -- NON-FLMBL PT REMVR, FLOW ON REMVR, TT-R-251J --
8010-00-926-4727

=====
Product Identification
=====

Product ID:NON-FLMBL PT REMVR, FLOW ON REMVR, TT-R-251J

MSDS Date:06/01/1988

FSC:8010

NIIN:00-926-4727

MSDS Number: BHDYW

=== Responsible Party ===

Company Name:RELIABLE REMOVER & LACQUER CORP.

Address:62 WOOLSEY STREET

Box:NA

City:IRVINGTON

State:NJ

ZIP:07111

Countr

y:US

Info Phone Num:201-399-2121

Emergency Phone Num:201-399-2121

CAGE:OCA98

=== Contractor Identification ===

Company Name:RELIABLE REMOVER & LACQUER CORP.

Address:62 WOOLSEY STREET

Box:NA

City:IRVINGTON

State:NJ

ZIP:07111

Country:US

Phone:201-399-2121

CAGE:OCA98

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

OSHA PEL:500 PPM/C, 1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000

LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO
Health Hazards Acute and Chronic:VOMITING, NAUSEA, DROWSINESS,
UNCONSCIOUSNESS, AND EVEN DEATH IN EXTREME CASES. ABSORPTION

THROUGH SKIN OCCURS BUT NOT LIKELY TO CAUSE TOXICITY
INGESTION POSSIBLE NOT PROBABLE

Explanation of Carcinogenicity:HAS BEEN KNOWN TO CAUSE CANCER IN
LABORATORY ANIMALS

Effects of Overexposure:NAUSEA, DROWSINESS, VOMITING, UNCONSCIOUSNESS
Medical Cond Aggravated by Exposure:HEART CONDITIONS AND ASTHMA

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER CALL PHYSICIAN
SKIN: FLUSH WITH WATER, REMOVE CONTAMINATED
CLOTHING. CALL PHYSICIAN INHAL: REMOVE TO FRESH AIR,
ADMINISTER A RTIFICIAL RESPIRATION IF NECESSARY. CALLA PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:NONE

Extinguishing Media:CO2, FOAM, DRY CHEMICAL, AND WATER FOG

Fire Fighting Procedures:SELF CONTAINED BREATHING EQUIPMENT SHOULD BE
USED BY FIREMEN

Unusual Fire/Explosion Hazard:VAPORS CAN BE IGNITED BY HIGH ENERGY
IGNITION SOURCE. DECOMPOSES W/FIRE OR HOT

SURFACES TO ACIDIC GASES
& OTHER TOXIC SUBSTANCES.

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK IF POSSIBLE. EVACUATE THE AREA,VENTILATEAVOID BREATHING VAPORS OR COMING IN CONTACT W/LIQ.CLEAN UP AREA (WEAR PROTECTIVE CLOTHING) CONTAIN SPILL. REMOVE ALL SOURCES OF IGNITION OF HEAT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA, PROVIDE

ADEQUATE VENTILATNDO NOT TRANSFER CONTENTS TO UNLABELED CONTAINERS. PIPE VENT OUTDOORS. AVOID CONTACT W/SKIN & VAPORS.

Other Precautions:PROTECTIVE EQUIPMENT SUCH AS GLOVES AND FACE SHIELD SHALL BE WORN. IF PROPERLY USED A RESPIRATOR MAY OFFER ADDITIONAL PROTECTION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED WITH ADEQUATE VENTILATION

Ventilation:LOCAL EXHAUST

Protective Gloves:NEOPRENE VITON, PVC COATED

Eye

Protection:CHEMCL SFTY GOGGLES OR FULL FACE MASK

Other Protective Equipment:IMPERVIOUS APRON

Supplemental Safety and Health

OPEN CANS SLOWLY TO RELEASE VAPOR PRESSURE. DO NOT SHAKE VIGOROUSLY!!

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:104-120

Vapor Density:2.9

Spec Gravity:1.3

Evaporation Rate & Reference:NA

Solubility in Water:MODERATE

Appearance and Odor:COLORLESS CLEAR LIQUID

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES

ALKALI METALS ALUMINUM, POTASSIUM & SODIUM OR PURE OXYGEN

Stability Condition to Avoid: CONTACT WITH OPEN FLAMES, HOT SURFACES OR
SPARKS FROM WELDING ARC.

Hazardous Decomposition Products: HYDROGEN CHLORIDE PHOSGENE & OTHER
HIGHLY TOXIC SUBSTANCE

===== Disposal Considerations =====

Waste Disposal Methods: CONSULT LOCAL POLLUTION CONTROL AGENCY

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.