

3M -- EC-3524 PART A ID 62-3624-0000-0 -- 8030-01-046-2947

===== Product Identification =====

Product ID:EC-3524 PART A ID 62-3624-0000-0

MSDS Date:05/03/1987

FSC:8030

NIIN:01-046-2947

MSDS Number: BHFCW

=== Responsible Party ===

Company Name:3M

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor

Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

===== Composition/Information on Ingredients =====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:MAY BE

IRRITATING TO THE EYES UPON

CONTACT SKIN CONTACT:ACUTE EXPOSURE IS MILDLY IRRITATING ,PROLONGED OR REPEATED CONTACT WILL PRODUCE DEFATTING AND RESULT DE RMATITIS. IT MAY CAUSE IRRITATION TO THE RESPIATORY AND DIGESTIVE SYSTEMS.

Effects of Overexposure:MAY BE IRRITATING TO THE EYES UPON CONTACT. MAY CAUSE AN ALLERGIC SKIN REACTION IN SUSCEPTIBLE INDIVIDUALS. BLURRED VISION IF THE EYE TO LONG.

===== First Aid Measures =====

First Aid:EYE

CONTACT: FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT
LEAST 10 MIN. CALL A DR. SKIN CONTACT:WASH WITH SOAP AND WATER
INHALATION:PROVIDE FRESH AIR CALL DR. IF SWALLOWED: DRINK TWO
GLASSES OF MILK OR WATER. CALL A DR.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:>200F/93C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2, FOAM, DRY CHEMICALS
Fire Fighting Procedures:FIRE FIGHGTERS SHOULD BE EQUIPPED WITH SCBA
WHEN
HANDLING THIS MATERIAL
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:OBSERVE PRECAUTIONS IN ALL SECTIONS.COLLECT
SPILLED MATERIAL AND CLEANUP RESIDUE USING ABSORBANT MATERIAL AS
NEEDED.PLACE IN A U.S. DEPT. OF TRANSPORTATION APPROVED METAL
CONTAINER AND SEAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:ND
Other Precautions:ND

=====
===== E
xposure Controls/Personal Protection =====

Respiratory Protection:DUST MASK AND MAKE SURE THAT VENTILATION IS GOOD
WHEN WORKING WITH CURED MATERIAL FRESH AIR. IF SWALLOWED DRINK LOTS
OF MILK AND WATER.
Ventilation:MAKE SURE THAT THE CURING STOVE VENTELATED TO THE OUTSIDE
AREA.
Protective Gloves:IMPERVIOUS GLOVES
Eye Protection:SAFETY GLASSES, GOGGLES,
Other Protective Equipment:DUST MASK TO HOLD OFF TTHE FUMES,
Supplemental Safety and Health
KEEP CONTAINER CLOSED WHEN NOT

IN USE.KEEP OUT OF THE REACH OF
CHILDREN .

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:.50
pH:NA
Evaporation Rate & Reference:NA
Solubility in Water:VERY SLIGHT
Appearance and Odor:CHARACTERISTIC AMINE ODOR
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:THERMAL
DECOMPOSITION MAY PRODUCE
CARBON MONOXIDE AND CARBONDIOXIDE.
Conditions to Avoid Polymerization:IT MAY NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods:2-PART SYSTEM: COMBINE PARTS(A AND B) AND ALLOW
TO FULLY CURE.CURED MATERIAL MAY BE PLACED IN A SANITARY LANDFILL
IN ACCORDANCE WITH APPLICABLE REGULATIONS AND
AUTHORITIES.INCINERATE "A"IN ACCORDANCE WITH LOCAL REGULATIONS AND
AUTHORITIES.

Disclaimer (provided with this
information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.