

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1826 B-2, PART B -- 8030-01-290-5138
===== Product Identification =====

Product ID:PR-1826 B-2, PART B

MSDS Date:08/14/1987

FSC:8030

NIIN:01-290-5138

Kit Part:Y

MSDS Number: BHFJN

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Emergenc

y Phone Num:818-240-2060

Preparer's Name:DJ

CAGE:8K647

=== Contractor Identification ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:800-228-5635

CAGE:8K647

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT

Rpt Qty:5000 LBS

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:EYES: IRRITATION. SKIN: LOCAL IRRITATION.
INHALATION: IRRITATION TO NOSE & THROAT, PROLONGED EXPOSURE ABOVE
PEL MAY CAUSE HEADACHE, DIZZINESS & UNCONSCIOUSNESS INGESTION:
MAYCAUSE NAUSEA, VOMITING, LI VER AND KIDNEY DAMAGE

=====
===== First Aid Measur
es =====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MIN. IF SYMPTOMS
PERSIST, CONSULT PHYSI-CIAN. SKIN: WASH WITH SOAP AND WATER. IF
SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH
AIR. IF SYMP TOMS ARE PRESENT CONSULST A PHYSICIAN.INGESTION:
CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:SCC
Flash Point:150 F 66 C
Lower Limits:11 % (MEK)
Upper Limits:1.8
Extinguishing Me
dia:CO2, DRY CHEMICAL, FOAM, WATER
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH
1,1,1-TRICHLOROETHANE

=====
===== Exposure Controls/Personal Protection =====
=====

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPOR BELOW PEL
Protective Gloves:SOLVENT RESISTANT GLOVES
Eye Protection:SAFETY GLASSES
Su

pplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA
Vapor Density:2.5 (MEK)
Spec Gravity:1.42
Evaporation Rate & Reference:3.2 (MEK)
Solubility in Water:NEGLIGIBLE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:OXIDES OF CARBON ,SO2, TRACES OF H2S

===== Disposal Considerations ==

=====

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA
REGULATIONSCONSULT STATE REGUALTIONS PRIOR TO DISPOSAL OF
SPILLAGE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing thi
s
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.