

GENERAL SEALANTS, INC. -- POLYSULFIDE SEALANT -- 8030-00-433-4145

===== Product Identification =====

Product ID:POLYSULFIDE SEALANT

MSDS Date:08/26/1988

FSC:8030

NIIN:00-433-4145

MSDS Number: BHFQH

=== Responsible Party ===

Company Name:GENERAL SEALANTS, INC.

Address:300 S. TURNBULL CANYON RD.

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91745

Country:US

Info Phone Num:818-961-0211 (INSIDE CA)

Eme

rgency Phone Num:800-762-1144 (OUTSIDE CA)

CAGE:53992

=== Contractor Identification ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Phone:818-961-0211

CAGE:53992

===== Composition/Information on Ingredients =====

Ingred Name:PLASTICIZER

Ingred Name:POLYSULFIDE RUBBER

ACGIH TLV:20 MG/M3

Ingred Name:PARAFFINIC OIL

CAS:64771-72-8

ACGIH TLV:.2 OZ/FT3

Ingred Name:FULLERS

ACGIH TLV:4 MG/M3

=====

==== Hazards Identification =====

Effects of Overexposure:CONCENTRATED GASES MAY CAUSE IRRITATION TO SENSITIVE PEOPLE

==== First Aid Measures =====

First Aid:NA

==== Fire Fighting Measures =====

Flash Point:800F DECOMPOSE

Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES AND TO PROTECT PERSONNEL. RE SPIRATORY AND EYE PROTECTION REQUIRED

Unusual Fire/Explosion Hazard:NON EXPLOSIVE

==== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION, PREVENT ADDITIONAL DISCHARGE OF MTL, IMPLEMENT CLEAN UP PROCEDURES AND NOTIFY AUTHORITIES IF APPROPRIATE.

==== Handling and Storage =====

Handling and Storage Precautions:STORE AT 72F

==== Exposure Controls/Personal Protection ==  
=====

Respiratory Protection:NONE

Ventilation:NA

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Supplemental Safety and Health

NK

==== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NONE

Vapor Pres:NONE

Vapor Density:NA

Spec Gravity:1.34

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK, SLIGHT ODOR

Percent Volatiles by Volume:.7

==== Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS, OXIDIZING SUBSTANCES

Stability Condition to Avoid: STABLE UNDER NORMAL CONDITIONS

Hazardous Decomposition Products: CARBON MONOXIDE, FLAMMABLE  
HYDROCARBONS

===== Disposal Considerations =====

Waste Disposal Methods: USE STANDARD METHODS, RECOVER MATERIAL AND PLACE  
IN CONTAINERS FOR RECYCLE OR DISPOSAL, ENSURE LOCAL DISPOSAL  
REGULATIONS.

Disclaimer (provided with this  
information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.