

ACCRABOND, INC. -- ANAEROBIC SEALING COMPOUND -- 8030-00-456-1038

=====  
Product Identification  
=====

Product ID:ANAEROBIC SEALING COMPOUND

MSDS Date:03/28/1986

FSC:8030

NIIN:00-456-1038

MSDS Number: BHFQJ

=== Responsible Party ===

Company Name:ACCRABOND, INC.

Address:8848 HACKS CROSS RD.

City:OLIVE BRANCH

State:MS

ZIP:38654

Country:US

Info Phone Num:601-895-4480

Emergency Phone Num:601-895-4480

C

AGE:5V071

=== Contractor Identification ===

Company Name:ACCRABOND INC

Address:8848 HACKS CROSS RD

Box:City:OLIVE BRANCH

State:MS

ZIP:38654-3884

Country:US

Phone:601-895-4480

CAGE:5V071

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYLENE GLYCOL METHACRYLATE MONOMER

Ingred Name:DIBUTYL MALEATE

CAS:105-76-0

RTECS #:ON0875000

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Report

s of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Effects of Overexposure:IRRITATION OF SKIN, HEADACES, CRAMPING

=====  
First Aid Measures  
=====

First Aid:EYE: FLUSH WITH WATER FOR 15 MINUTES  
SKIN: WASH THOROUGHLY WITH SOAP AND WATER  
INHAL: REMOVE TO FRESH AIRINGST: SEE  
A P HYSICIAN

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:250F/121C  
Extinguishing Media:WATER, C  
O2, SAND OR FOAM  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WIPE UP WITH PAPER TOWELS OR RAGS. CLEAN AREA  
WITH TOLUENE OF KETONES.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT FILL CONTAINER OVER HALF FULL

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:OPTIONAL  
Ventilation:LOCAL EXHAUST OR MECHANICAL OPTIONAL  
Protective Gloves:PLASTIC GLOVES OR PROTECTIVE HANDCREAM  
Eye Protection:SAFETY GOGGLES OPTIONAL  
Other Protective Equipment:NONE  
Work Hygienic Practices:WASH CLOTHING WITH DISHWASHING DETERGENT  
Supplemental Safety and Health  
NK

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:>200C  
Vapor Pres: