

E.I.DU PONT DE NEMOURS & CO;IMAGING SYSTEMS DEPT. -- CRONES MXD X-RAY MANUAL
DEVELOPER, PART B -- 6525-01-061-0505

=====
===== Product Identification =====

Product ID:CRONES MXD X-RAY MANUAL DEVELOPER, PART B

MSDS Date:08/01/1989

FSC:6525

NIIN:01-061-0505

Kit Part:Y

MSDS Number: BHHJR

=== Responsible Party ===

Company Name:E.I.DU PONT DE NEMOURS & CO;IMAGING SYSTEMS DEPT.

Address:1007 MARKET STREET

City

:WILMINGTON

State:DE

ZIP:19898

Country:US

Info Phone Num:800-441-7515

Emergency Phone Num:800-441-3637 (MEDICAL)

Preparer's Name:CT SHEA OFFICE

CAGE:DO962

=== Contractor Identification ===

Company Name:DU PONT E I DE NEMOURS & CO INC IMAGING SYS DEPT

Address:BARLEY MILL PLZ 22-1356

Box:80022

City:WILMINGTON

State:DE

ZIP:19880-0022

Country:US

Phone:302-992-2012

CAGE:82348

Company Name:E.I.DU PONT DE NEMOURS,INC.

CAGE:DO962

=====
===== Composition/Information on Ingredients =====

Ing

red Name:ACETIC ACID (SARA III)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 40-70%
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:1-PHENYL-3-PYRAZOLIDONE
CAS:92-43-3
RTECS #:UQ8750000
Fraction by Wt: 0.1-1.0%

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 15-40%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:

NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS SEVERELY IRRITATING TO
CORROSIVE TO BODY TISSUES. TOXICITY IS BY CORROSIVITY IN ALL THREE
ROUTES OF ENTRY. CHRONIC CONTACT MAY CAUSE ULCERATION OR DENTAL
EROSION.

Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP,
OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYE:SEVERE IRRITATION,BURNS.
SKIN:IRRITATION,BURNS. INHALED:INTENSE RESPIRATORY
IRRITATION,COUGHING. CHRONIC INHALATION MAY C
AUSE ULCERATION.

INGESTED:G/I ITTITATION, BURNS.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS
OR WITH A PRE-EXISTING DISEASE INVOLVING THE RESPIRATORY TRACT MAY
BE AT INCREASED RISK FROM EXPOSURE.

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER 15 MIN. GET MEDICAL CARE. SKIN:REMOVE
CONTAMINATED CLOTHING. WASH WITH SOAP & WATER. LAUNDER CLOTHING
BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BR

EATING. GET

IMMEDIATE MEDICAL CARE. INGESTION: DO NOT INDUCE VOMITING. GIVE LIME WATER OR MILK OF MAGNESIA. GET IMMEDIATE MEDICAL CARE.

===== Fire Fighting Measures =====

Flash Point:163F,73C

Lower Limits:5.4

Upper Limits:16.0

Extinguishing Media:WATER,WATER SPRAY,WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE

=====

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PROTECTIVE EQUIPMENT & PROCEDURES. CONTAIN SPILL AND RECOVER LIQUID IF POSSIBLE. NEUTRALIZE. ADSORB OR OTHERWISE COLLECT.

Neutralizing Agent:SODIUM BICARBONATE OR 50/50 MIX LIME & SODA ASH

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. STORE IN CORROSION-PROOF AREA. KEEP CONTAINERS OUT OF SUN AND AWAY FROM

HEAT. ISOLATE FROM INCOMPATIBLE MATERIALS.

Other Precautions:DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACCO IN AN AREA WHERE THEY MAY BE CONTAMINATED BY THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION EXCEEDS PEL/TLV, A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED.

Ventilation:USE MECHANICAL (GENERAL) OR LOCAL EXHAUST VENTILATION TO MEET PEL/TLV REQUIREMENTS.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. ACID SUIT OR APRON WITH RUBBER BOOTS IF DICTATED BY TASK AT HAND.

Work Hygienic Practices:OBSERVE GOOD CHEMICAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. AVOID ANY CONTACT IF POSSIBLE, ESPECIALLY WITH VAPOR

Supplemental Safety and Health

MSDS NUMBER H-15837(8/89) (VAX P0000019)

) DU PONT REGISTRY NUMBER
DP456-34-2.

===== Physical/Chemical Properties =====

HCC:C2
Boiling Pt:>100.C, 212.F
Spec Gravity:1.07
pH:1.3
Solubility in Water:100%
Appearance and Odor:CLEAR LIGHT AMBER LIQUID, VINEGAR ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG BASES, OXIDIZERS
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W ALL APPLICABLE FEDERAL, STATE AND
LOCAL ENVIRONMENTAL REGULATIONS. MFR SUGGESTS NEUTRALIZED SOLUTION
MAY BE FLUSHED TO DRAIN.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.