

EASTMAN KODAK COMPANY -- 146 4080 KODAFIX SOLUTION -- 6750-00-619-9943

=====
Product Identification
=====

Product ID:146 4080 KODAFIX SOLUTION

MSDS Date:11/17/1993

FSC:6750

NIIN:00-619-9943

MSDS Number: BHJGC

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 50 - 55%

Ingred Name:AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000

Fraction by Wt: 30 - 35%

Other REC Limits:NONE ESTABLISHED

Ing

red Name:SODIUM BISULFITE (SASA III)

CAS:7631-90-5

RTECS #:VZ2000000

Fraction by Wt: 1 - 5%

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM ACETATE

CAS:126-96-5

RTECS #:AJ4375000

Fraction by Wt: 1 - 5%

Other REC Limits:NONE ESTABLISHED

OSHA PEL:NONE ESTABLISHED

ACGIH TLV:NONE ESTABLISHED

Ingred Name:ALUMINUM SULFATE (SARA III)

CAS:10043-01-3

RTECS #:BD1700000

Fraction by Wt: 1 - 5%

Other REC Limits:NONE ESTABLISHED

OSHA PEL:2 MG/M3

ACGIH TL

V:2 MG/M3; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:BORIC ACID

CAS:10043-35-3

RTECS #:ED4550000

Fraction by Wt: 1 - 5%

Other REC Limits:NONE ESTABLISHED

Ingred Name:AMMONIUM SULFITE

CAS:10196-04-0

RTECS #:WT3505000

Fraction by Wt: 1 - 5%

Other REC Limits:NONE ESTABLISHED

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000

Fraction by Wt: 1 - 5%

OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Q

ty:5000 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE-
INHALATION:EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING.
EYES:MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR
RECOMMENDED HANDLING. INGESTION:EXPECTED TO BE A LOW INGESTION
HA
ZARD. CHRONIC- UNKNOWN.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYES IRRITATION

=====
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:FLUSH WITH
WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:REMOVE CONTAMINATED
CLOTHING. WASH SKIN WITH SOAP AND PLENTY OF WATER.
INHALATION:REMOVE TO FRESH AIR. INGESTION:DRINK 1-2 GLASSES OF
WATER. SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL
FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED
CONTAINERS.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS. FIRE MAY PRODUCE HAZARDOUS
DECOMPOSITION PRODUCT.
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF
PERMITTED OR ABSORB SPILL WITH VERMICULITE, THEN PLACE IN A
CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE
RESIDUAL CONTAMINATION.
Neutralizing Agent:NOT RELEVANT

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. STORE AWAY FROM
INCOMPATIBLE MATERIALS.
Other Precautions:WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH
EYES. KEEP OUT OF REACH

CH OF CHILDREN. USE WITH ADEQUATE VENTILATION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. TYPICALLY,
10 ROOM VOLUMES PER HR IS CONSIDERED GOOD GENERAL VENTILATION.

Protective Gloves:RUBBER/LATEX IF REPEATED CONTACT

Eye Protection:SAFETY GLASSES WITH SIDE SHIELD/GOGGLES

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND
IMPERVIOUS CLOTHING

W

ork Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR
FOOTWEAR.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

ECOLOGICAL INFORMATION: THIS MATERIAL IS EXPECTED TO HAVE THE
FOLLOWING PROPERTIES: A HIGH BIOCHEMICAL OXYGEN DEMAND, A LOW
POTENTIAL TO AFFECT AQUATIC ORGANISMS. AFTER DILUTION WITH WATER,
THIS MATERIAL IS NOT EXPECTED TO CAUSE ADVERSE EFFEC

TS.

=====
===== Physical/Chemical Properties =====

HCC:C3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:18 @ 68F

Vapor Density:0.6

Spec Gravity:1.283

pH:4.9

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS LIQUID, AMMONIA ODOR

Percent Volatiles by Volume:54

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

BASES (LIBERATE FLAMMABLE MATERIAL), SODIUM HYPOCHLORITE (BLEACH),

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:AMMONIA, CHORAMINE, NITROGEN OXIDES (NOX), SULFUR DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated fo

r use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.