

G E CO SILICONE PRODS DIV -- RTV511 -- 8040-01-010-4512

=====
Product Identification
=====

Product ID:RTV511
MSDS Date:10/25/1988
FSC:8040
NIIN:01-010-4512
MSDS Number: BHLTR
=== Responsible Party ===
Company Name:G E CO SILICONE PRODS DIV
Address:260 HUDSON RIVER RD
City:WATERFORD
State:NY
ZIP:12188
Country:US
Info Phone Num:518-237-3330/518-266-2641
Emergency Phone Num:518-237-3330/518-266-2641

Preparer's Name:DA POLSINELLI
CAGE:FO099
=== Contractor Identification ===
Company Name:G E CO SILICONE PRODS DIV
Address:260 HUDSON RIVER RD
City:WATERFORD
State:NY
ZIP:12188
Country:US
Phone:518-237-3330
CAGE:FO099
Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT
Address:260 HUDSON RIVER RD
Box:City:WATERFORD
State:NY
ZIP:12188
Country:US
Phone:518-237-3330/800-332-3390
CAGE:01139

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLORTHOSIL

ICATE, CONDENSED *93-1*

CAS:110990-60-2

Fraction by Wt: 1-5%

OSHA PEL:100 PPM

ACGIH TLV:10 PPM

Ingred Name:CARBONIC ACID, CALCIUM SALT (1:1), CALCIUM CARBONATE,
DURAMITE

CAS:471-34-1

RTECS #:FF9335000

Fraction by Wt: 10-30%

Other REC Limits:10 MG/CUM (DUST)

Ingred Name:SILOXANES & SILICONES, DI-ME, DI-PH, HYDROXY-TERMINATED

CAS:68951-93-9

Fraction by Wt: 60-80%

Ingred Name:VOL ORGANIC CMPD (EPA METHOD 24): 1000 MG/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of C

arcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: HARMFUL. SKIN: IRRITATION

MAY OCCUR IN CERTAIN SENSITIVE INDIVIDUALS. EYES: IRRITATION.

INHALATION: MILD RESPIRATORY IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: RESPIRATORY AILMENTS. INGESTION:

HARMFUL, LIVER & KIDNEY DAMAGE.

Medical Cond Aggravated by Exposure:RESPIRATORY, LIVER & KIDNEY

CONDITIONS

=====
===== First Aid Measures =====
=====

First Aid:INGESTION: DON'T INDUCE VOMITING. SLOWLY DILUTE W/1 OR 2
GLASSES OF WATER/MILK. SKIN: WASH W/SOAP & WATER. EYES: FLUSH
W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION
IN ALL CASES.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:PMCC

Flash Point:>200F, >93C

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA

=====
===== Accidental Release Measures =====
=====

Spill Release Procedure

