

BONDED PRODUCTS, INC. -- DOD-C-24176B H.S.CEMENT PT A -- 8030-00-051-4011

=====
Product Identification
=====

Product ID:DOD-C-24176B H.S.CEMENT PT A

MSDS Date:05/10/1989

FSC:8030

NIIN:00-051-4011

Kit Part:Y

MSDS Number: BHMBT

=== Responsible Party ===

Company Name:BONDED PRODUCTS, INC.

Address:439 S. BOLMAR STREET

Box:39

City:WEST CHESTER

State:PA

ZIP:19381-0039

Country:US

Info Phone Num:215-696-

9220

Emergency Phone Num:215-696-9220

Preparer's Name:A. NICHOLAS ROSA

CAGE:DO082

=== Contractor Identification ===

Company Name:ABBEY COLOR INC DBA ABBEY PRODUCTS AND BONDED

Address:400 E TIOGA ST

Box:City:PHILADELPHIA

State:PA

ZIP:19134-1127

Country:US

Phone:215-739-9960

CAGE:19092

Company Name:BONDED PRODUCTS, INC

Address:439 SOUTH BOLMAR STREET

Box:39

City:WEST CHESTER

State:PA

ZIP:19381-0039

Phone:610-696-9220 OR 215-739-9960

CAGE:DO082

=====
Composition/Information on Ingredient
=====

S =====

Ingred Name:EPOXIDE
CAS:25068-38-6
RTECS #:KC2100000

Ingred Name:SILICA, AMORPHOUS, DUST
CAS:112945-52-5
RTECS #:VV7310000
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3; 8990

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:MODIFIED UREA FORMALDEHYDE RESIN

(VAPOR PRESS 5.0 MM/HG @ 68F)

Ingred Name:MILLED GLASS 9007 1/32
CAS:65997-17-3
ACGIH TLV:10 MG/M3

Ingred Name:SILICA, AMORPHOUS, DUST
CAS:112945-52-5
RTECS #:VV7310000
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3; 8990

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:VAPORS MAY IRRITATE RESPIRATORY
PASSAGES. SENSITIZATION TO SKIN & EY

ES ON PROLONGED OR REPEATED CONTACT.

Effects of Overexposure:EYE: POSSIBLE IRRITATION & SENSITIZATION
SKIN: CAN CAUSE IRRITATION AND REDNESS ON PROLONGED CONTACT OR EXPOSURE INHAL: NAUSEA AND HEADACHE, REMOVE TO FRESH AIRINGST: ABDOMINAL DISCOMFORT.
Medical Cond Aggravated by Exposure:ALLERGY,EXISTING SKIN CONDITIONS AND SKIN ABRASION

===== First Aid Measures =====

First Aid:EYES:FLUSH W/WATER FOR 15 MIN.GET MED ATTN.SK
IN:WASH IMMEDIATELY W/SOAP & WATER.IF IRRITATION OF SKIN PERSISTS,GET MED ATTN.REMOVE CONTAMINATED CLOTHING/LAUNDERINHALE:REMOVE PERSON TO FRESH AIR, ADMINISTER OXYGEN IF NECESSARY.ADMINISTERARTIFICIAL RESPIRATION,IF NECESSARY.CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:>300 F/ >149 C
Extinguishing Media:FOAM,CO2,DRY CHEMICAL,WATER FOG.
Fire Fighting Procedures:WEAR SCBA & FULL PROTECTIVE EQUIP. REMAIN UPWIND FROM FIRE. CONTAINERS EXPOSED TO FIRE SHOULD BE KEPT COOL WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:HANDLE AS COMBUSTIBLE MATERIAL WHEN EXPOSED TO BURNING OR FIRES.HEATED CONTAINERCAN DEVELOP PRESSURE & EXPLODE. KEEP CONTAINERS COOL WITH A WATER SPRAY.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL.SOAK WITH ABSORBENT MATERIAL&SCRAPE INTO SALVAGE CONTAINERS.REMOVE ALL SOURCES OF IGNITION.WEAR SELF-CONTAINED BREATHING APPARATUS. PROTECT SKIN/EYES BY USE OF RUBBER GLOVES,GOGGLES, OR FACE SHIELD.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY AREA IN TIGHTLY SEALED CONTNRSWASH WITH SOAP/WTR AFTER HANDLING PRODUCT. USE PROTECTIVE CLOTHING.HANDLE IN WELL VENTILATED AREA.
Other Precautions:AVOID CONTACT WITH SKIN,EYES, & CLOTHING. AVOID BREATHING VAPORS. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE

E.

DISCARD CONTAMINATED CLOTHING, SHOES, & OTHER LEATHER WEARING APPAREL. USE A BARRIER CREAM WHEN HANDLING PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC CHEMICAL CARTRIDGE RESPIRATOR, IF NEEDED.

Ventilation:LOCAL EXHAUST SYSTEM AND GOOD GENERAL VENTILATION.USE ADEQUATE VENTILATION IN ENCLOSED AREAS.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SAFETY GOGGLES OR FACE SHIELD.

Other Protec

tive Equipment:RUBBER PROTECTIVE GARMENTS TO PREVNT SKIN CONTACT,SAFETY SPRAY OR SHOWER, EYE BATH.

Work Hygienic Practices:PRACTICE CAUTION,GOOD HOUSEKEEPING PROCEDURES,PERSONAL CLEANLINESS.WASH EXPOSED SKIN AREAS WITH SOAP AND WATER.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Spec Gravity:1.6

Solubility in Water:VERY SLIGHT

Appearance and Odor:WHITE PASTE WITH A CHARACTERISTIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:TEMPERATURES OVER 110F

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:RECLAIM IF POSSIBLE.REACT THIS PART A WITH PART B AND DISPOSE IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compil

ing agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.