

DOW CORNING CORPORATION -- DOW CORNING 93-006-6 CATALYST -- 8030-00-119-4916

=====
Product Identification
=====

Product ID:DOW CORNING 93-006-6 CATALYST

MSDS Date:09/12/1988

FSC:8030

NIIN:00-119-4916

Kit Part:Y

MSDS Number: BHMFB

=== Responsible Party ===

Company Name:DOW CORNING CORPORATION

Address:SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-5900

Emergenc

y Phone Num:517-496-5900

Preparer's Name:JACK L. SHENEGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

=====
Composition/Information on Ingredients
=====

Ingred Name:DIBUTYL TIN DILAURATE (

AS TIN)
CAS:77-58-7
RTECS #:WH7000000
Fraction by Wt: 1%
OSHA PEL:S, 0.1 MG/M3
ACGIH TLV:S, 0.1 MG/M3; 8990

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Effects of Overexposure:EYE: MAY IRRITATE WITH SLIGHT PAIN,
REDNESS,MINOR, CORNEAL INJURY. SKIN: A MILD BURN MIGHT DEVELOPE

===== First Aid Measures =====

First Aid:EYES FLUSH WATER FOR 15 MIN ORAL: OBTAIN MEDICAL HELP

===== Fire Fighting Measures =====

Flash Point Method:OC
Flash Point:250F/121C
Extinguishing Media:WATER WATER FOG, CO2, DRY CHEMICAL, FOAM, OTHER
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING
CHEMICALS
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT OR SALVATION
OF SPILLED MATERIALS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW90F/32C
USE REASONABLE CARE

===== Exposure Controls/Personal Protection =====

Ventilation:GENERAL PROTECTION
Protective Gloves:NOT NECESSARY
Eye Protection:SAFETY GLASSES AT A MINIMUM
Work Hygienic Practices:NORMAL
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

=

Boiling Pt:B.P. Text:>300F/149C

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres: