

ACCUMETRIC, INC. -- SILICONE CAULK TYPE IV -- 8030-00-180-6339

=====
Product Identification
=====

Product ID:SILICONE CAULK TYPE IV

MSDS Date:01/01/1987

FSC:8030

NIIN:00-180-6339

MSDS Number: BHMGP

=== Responsible Party ===

Company Name:ACCUMETRIC, INC.

Address:350 RING ROAD

Box:843

City:ELIZABETH TOWN

State:KY

ZIP:42701

Country:US

Info Phone Num:502-769-3385

Emergency Phone Num:502-769-3385

CAGE

:58149

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETH TOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETOXYSILANE

Fraction by Wt: 5%

ACGIH TLV:10 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYES: MAY IRRITATE WITH SLIGHT

PAIN,
REDNESS AND POSSIBLE MINOR CORNEAL INJURY. SKIN: SEVERAL REPEATED/PROLONGED EXPOSURES MAY CAUSE SLIGHT IRRITATION. INHALE: NOSE & THROAT INJURY MAY OCCUR. FREQUENTLY PROLONGED EXPOSURE MAY CAUSE SLIGHT INJURY.

Effects of Overexposure: EYES: MAY IRRITATE WITH SLIGHT PAIN, REDNESS AND POSSIBLE MINOR CORNEAL INJURY. SKIN: SEVERAL REPEATED/PROLONGED EXPOSURES MAY CAUSE SLIGHT IRRITATION. INHALE: NOSE AND THROAT INJURY MAY OCCUR. FREQUENTLY PROLONGED EXPOSURES MAY CAUSE SLIGHT INJURY.

=====
===== First Aid Measures =====

First Aid: EYES: FLUSH WITH WATER & OBTAIN IMMEDIATE MEDICAL ATTENTION. SKIN: WIPE OFF & FLUSH WITH WATER. INHALATION: REMOVE TO FRESH AIR & OBTAIN IMMEDIATE MEDICAL ATTENTION. ORAL: OBTAIN IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method: TOC
Flash Point: >212 F/ 100 C
Extinguishing Media: WATER, WATER FOG, CO2, DRY CHEMICAL, FOAM
Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS
Unusual Fire/Explosion Hazard: NONE KNOWN

=====
===== Accidental Release Measures =====

Spill Release Procedures: REMOVE PRODUCT AND USE ABSORBENT MATERIAL TO TAKE CARE OF ANY OIL-LIKE RESIDUES.

=====
===== Handling and Storage =====

Handling and Storage Precautions: STORE BELOW 90 F . USE REASONABLE CARE AND CAUTION.
Other Precautions: PROVIDE ADEQUATE VENTILATION DURING USE TO KEEP AMBIENT AIR ACETIC ACID VAPOR CONCENTRATION BELOW TLV OR USE RESPIRATORY PROTECTION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection: ACID GAS/ORGANIC VAPOR TYPE
Ventilation: LOCAL EXHAUST MAY BE NEEDED, MECHANICAL (GENERAL) RECOMMENDED
Protective Gloves: RUBBER OR PLASTIC
Eye Protection: SAFETY GLASSES
Work Hygienic Practices: SKIN: WASH

ING AT MEALTIME AND END OF SHIFT IS
ADEQUATE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:> 300 F

Vapor Pres:< 5 MM

Spec Gravity:1.04

Evaporation Rate & Reference:< 1 (ETHER=1)

Solubility in Water: