

BAKER SEALANTS & COATINGS COMPANY -- CORROSION PREVENTIVE -- 8030-00-251-5048

===== Product Identification =====

Product ID:CORROSION PREVENTIVE

MSDS Date:12/13/1989

FSC:8030

NIIN:00-251-5048

MSDS Number: BHMHP

=== Responsible Party ===

Company Name:BAKER SEALANTS & COATINGS COMPANY

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304

Country:US

Info Phone Num:201-333-6986 FAX 201-

333-6955

Emergency Phone Num:201-333-6986 FAX 201-333-6955

Preparer's Name:MARIO NAVARRO

CAGE:FO833

=== Contractor Identification ===

Company Name:BAKER SEALANTS & COATINGS CO., INC.

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Phone:(201) 333-6986

CAGE:FO833

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

===== Composition/Information on Ingredients =====

=====

Ingred Name:STODDARD SOLVENT
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 57%
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9293

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALE: NASAL & RESPIRATORY IRRI,
CENTRAL NERV SYS EFFECTS, DIZZ, WEAK, FATIGUE,NAUSEA, HEADACHE, &
POSSIBLE UNCONSC & DEATH. INHALE: GASTROINTE
STINAL IRRI, NAUSEA,
VOMIT, DIARRHEA, ASPIRATION OF MATERIAL INTO LUNGS-CHEM
PNEUMONITIS, CAN BEFATAL. EYES: SEVERE IRRI. SKIN: MOD IRRI,
DEFATTING, DERMATITIS.
Effects of Overexposure:EYES: SEV IRRI, RED, TEAR, BLURRED VISION.
SKIN: MOD IRRI, DEFATT, DERMATITIS. INHALE: NASAL & RESPIRATORY
IRRI, CENTRAL NERV SYS, DIZZ, WEAK, FATIGUE, NAUSEA,HEADACHE,
UNCONS, DEATH. INGEST: GASTROINTESTINAL IRRI, NAUSEA, VOMIT,
DIARRHEA.ASPIRATION OF MATERIAL INTO LUNGS CAN CAUSE C
HEM
PNEUMONITIS, WHICH CAN BE FATAL
Medical Cond Aggravated by Exposure:PETROLEUM HYDROCARBON & SYNTHETIC
LUBRICANTE POSE POTENTIAL HUMAN HEALTH RISK, MAY VARY,
PRECAUTION,EXPOSURE TO LIQ/VAPORS/MISTS/FUMES SHOULD BE MIN-
IMIZED.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LG AMTS OF WATER, LIFTING LIDS, GET MED
ATTEN. SKIN: THORO WASHAREA W/SOAP & WATER. INHALE: REMOVE TO FRESH
AIR. IF BREATH DIFF, ADMIN OXYGEN, IF BR
EATH HAS STOPPED ADMIN CPR.
KEEP PERSON WARM, QUIET & GET MED ATTEN. INGESTION: DON'T INDUCE
VOMIT, KEEP PERSON WARM, QUIET & GET MED ATTEN. ASPIRATION
OFMATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEM PNEUMONITIS,
CAN BE FATAL.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:104 F/ 40 C
Lower Limits:1.0
Upper Limits:7.0
Extinguishing Media:EXTINGUISH WITH REGULAR FOAM, CARBON DIOXIDE OR DRY
CHEMICAL
Fire Fighting

Procedures:KEEP AWAY FROM SOURCES OF IGNITION. WEAR A
SELF CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:IF SPILLED OR LEAKED, ELIMINATE ALL SOURCES OF
IGNITION, DIKE AREA, PUMP INTO SALVAGE TANKS, USE ABSORBENT ON
REMAINING MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:ALL HAZARD PRECAUTIONS GIVEN IN T
HIS

DATA SHEET MUST BE FOLLOWED.

Other Precautions:THE CONDITION/METHODS OF HANDLING/STORAGE USE &
DISPOSAL OF PRODUCT ARE BEYOND OUR CONTROL & MAY BE BEYOND OUR
KNOWLEDGE. FOR THIS & OTHER REASONS, WE DO NOT ASSUME
RESPONSIBILITY & EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR
EXPENSE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED RESPIRATOR

Ventilation:LOCAL EXHAUST OR MECHANICAL VENTILATION

Protective Glov

es:NITRILE RUBBER GLOVES

Eye Protection:CHEMICAL GOGGLES

Supplemental Safety and Health

INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE
RELIABLEHOWEVER THE INFORMATION IS PROVIDE WITHOUT ANY
REPRESENTATION OR WARRANTY, EX- PRESS OR IMPLIED, REGARDING ITS
ACCURACY OR CORRECTNESS.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:300 F

Melt/Freeze Pt:M.P/F.P Text:0 F (18 C)

Vapor Pres:2.0

Vapor Density:4.8

Spec

Gravity:0.760

pH:NTRAL

Evaporation Rate & Reference:70.00 ETHER=1.0

Solubility in Water:NEGLIGIBLE

Appearance and Odor:YELLOWISH SEMI-LIQUID ALAPHATIC ODOR

Percent Volatiles by Volume:60

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CO, CO2, WHEN COMBUSTED

===== Disposal Considerations =====

=====

Waste Disposal Methods:AS PER LOCAL, STATE OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respons

ibility for the suitability of this information to their particular situation.