

3M -- ADHESIVE, FUEL RESISTANT COATING -- 8040-00-597-9723

=====
Product Identification
=====

Product ID:ADHESIVE, FUEL RESISTANT COATING

MSDS Date:04/12/1989

FSC:8040

NIIN:00-597-9723

MSDS Number: BHMRR

=== Responsible Party ===

Company Name:3M

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor

Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IAR

C:NO OSHA:NO

Effects of Overexposure:EYE: SEVERE IRRI. EDEMA, RED, TEAR, BURN,
BLURRED VISION. SKIN: IRRI PROLONGED CONTACT. ROUGH, RED, DRY SKIN.
INHAL: RESPIRATORY SYS IRRI & LIGHT HEADEDNESS. METHYL ISOBUTYL
KETONE MAY CAUSE LIVER, KI DNEY DAM. HEADACHE, DIZZ, WEAK,
FATIGUE,EXTR OVEREXP, UNCONS. INGES: IRRI, LIGHT HEAD, ASPIRATION,
LUNG DAM, EVEN DEATH

=====
First Aid Measures
=====

First Aid:EYE: IMMED FLUSH WITH PLENTY OF WATER 10

MIN, CALL PHYSICIAN.

SKIN: WASH WITH SOAP & WATER. INHAL: MOVE TO FRESH AIR. RESTORE BREATHING AS NECESSARY. IF BREATH DIFF PERSIST, CALL PHYSICIAN. IF SWALLOW ED: DO NOT INDUCE VOMIT. GIVE 2 GLASSES OF MILK/WATER, CALL PHYSICIAN IMMED. DO NOT GIVE LIQ TO UNCONS PERSON. IF VOMIT OCCUR, LOWER HEAD BELOW THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS

===== Fire Fighting Measures =====

Flash Point:50 F/10.00 C

Lower Limits:1.40

Upper Limits:19.0

0

Extinguishing Media:CO2, FOAM, DRY CHEMICALS

Fire Fighting Procedures:FIRE FIGHTERS SHOULD BE EQUIPPED WITH SELF CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING THIS MATERIAL

Unusual Fire/Explosion Hazard:FLAMMABLE. OVERHEATED, CLOSED CONTAINER ADJACENT TO FIRE COULD EXPLODE DUE TO PRESSURE BUILDUP.

===== Accidental Release Measures =====

Spill Release Procedures:EXTING ALL IGNITION SOURCES. VENT AREA.

OBSERVE PRECAUTIONS. CONTAIN THE S

PILL. COVER W/ABSORBENT MATERIALS

AS NEEDED. COLLECT THE SPILLED MATERIAL W/NON-SPARKING TOOLS. PLACE IN U.S. DEPT OF TRANS AP PROVED METAL CONTAINER AND SEAL

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS AND FLAME.

USE ONLY INAREAS WITH SUFFICIENT VENTILATION TO MAINTAIN VAPOR CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMIT

===== Exposure Controls/Personal Protection =====

Ve

ntilation:SUFFICIENT VENTILATION TO MAINTAIN VAPOR CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:CHEMICAL GOGGLES

Supplemental Safety and Health

AVOID PROLONGED BREATHING OF VAPORS. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEPOUT OF THE REACH OF CHILDREN.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:164 F

Vapor Pres:42.1000

Vapor Density:3.00 AIR

Spec Gravity:0.880

pH:NA

Evaporation Rate &

amp; Reference:> 5.00 ETHER

Solubility in Water:INSOLUBLE

Appearance and Odor:TRANSPARENT AMBER, THIN LIQUID, CHARACTERISTIC
KETONE ODOR

Percent Volatiles by Volume:74.00

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NA

Hazardous Decomposition Products:CO, CO2, N AND SMOKE PARTICLES WHEN
SUBJECTED TO EXCESSIVE HEAT OR FLAME

===== Disposal Considerations =====

Waste Disposal Methods:INCIN

ABSORBED & BULK PRODUCT AFTER MIXING

W/FLAMMABLE MATERIAL IN A LICENSED HAZARDOUS WASTE FACILITY.

DISPOSAL SHOULD BE IN ACCORD WITH APPLICABLE REGULATIONS. U.S. EPA
HAZARDOUS WASTE NO. D001 (IGN ITABLE)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disc

claims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.