View NSN Online: https://aerobasegroup.com/nsn/7930-00-634-2785

GURTLER CHEMICALS INC. -- SOAP, LAUNDRY BUILT, LOW TEMPERATURE -- 7930-00-634-2785

Product ID:SOAP, LAUNDRY BUILT, LOW TEMPERATURE MSDS Date:08/02/1989 FSC:7930 NIIN:00-634-2785 **MSDS Number: BHMSR** === Responsible Party === Company Name: GURTLER CHEMICALS INC. Address:15475 SOUTH LA SALLE STREET City:SOUTH HOLLAND State:IL ZIP:60473 Country:US Info Phone Num:312-3 31-2550 Emergency Phone Num:312-331-2550 Preparer's Name:MIKE JACOBS CAGE:0CA58 === Contractor Identification === Company Name: GURTLER CHEMICALS INC Address:15475 S LASALLE ST Box:City:SOUTH HOLLAND State:IL ZIP:60473 Country:US Phone:708-331-2550 CAGE:0CA58 Ingred Name: SODIUM SALTS OF VEGETABLE FATTY ACIDS CAS:68062-64-4 Fraction by Wt: 50% Ingred Name:SODA ASH CAS:497-19-8 RTECS #:VZ4050000 Fraction by Wt: 45% ACGIH TLV:10

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Health Hazards Acute and Chronic:MAY CAUSE SEVERE IRRITATION OF THE EYES,INCLUDING CORNEAL OPACITIES. DUST IS IRRITATING TO THE SKIN, MUCOUS MEMBRANES, AND THE UPPER RESPIRATORY TRACT.MAY CAUSEINFLAMATION OF THE RESPIRATORY TRACT AND OF THE SKIN.

First Aid:EYES: FLUSH WITH COPIOUS A MOUNTS OF WATER FOR AT LEAST 15 MINUTES. SEE AN OPTHALMOLOGIST IF IRRITATION PERSISTS. SKIN: WASH WITH PLENTY OF WATER. IF IRRITATION OCCURS AND PERSISTS, OBTAIN MEDICAL ATTE NTION. INGESTION: DRINK A GLASS OF MILKOR WATER.

Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:WATER, FOAM, DRY CHEMICAL Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE

ease Measures ====== Accidental Rel

Spill Polooog Procedures: SW/EED LID AS MUCH AS DOSSI

Spill Release Procedures:SWEEP UP AS MUCH AS POSSIBLE FOR SALVAGE OR DISPOSAL. WASH AWAY RESIDUE WITH WATER. Neutralizing Agent:NONE

 Handling and Storage Precautions:DONOT STORE CLOSE TO ACIDS. MINIMIZE THE FREE FALLWHEN HANDLING TO MINIMIZE THE DUST GENERATED.
Other Precautions:WEAR EYE PROTECTION & NIOSH/MSHA APPROVED DUST RESPIRATOR TO PREVENT IRRITATION WHERE EXCESSIVE DUST IS PRESENT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: WEAR DUST RESPIRATOR IF NUISANCE DUST TLV OF 10 MG/M3 IS EXCEEDED OR DISCOMFORT IS PRESENT, Ventilation: GENERAL VENTILATION-LOCAL EXHAUST IF NEEDED FOR DUST CONTROL Protective Gloves: GENERAL PURPOSE Eye Protection: CHEMICAL GOGGLES Other Protective Equipment: WEAR EYE PROTECTION AND NIOSH/MSHA APPROVED DUST REPIRATOR TO PREVENT IRRITATION WHERE EXCESSIVE DUST IS PRESENT. Suppleme ntal Safety and Health NK Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:0.69 pH:11-12 Evaporation Rate & amp; Reference:NA Solubility in Water:>20% Appearance and Odor:LIGHT CREAM COLOR POWDER WITH A SOAP ODOR. Percent Volatiles by Volume:NA Corrosion Rate:NA Stability Indicator/Materials to Avoid:YES CONT ACT WITH ACIDS RELEASES LARGE VOLUMES OF CARBON DIOXIDE GAS AND HEAT. STRONG OXIDIZING AGENTS. Stability Condition to Avoid: CONTACT WITH ACIDS EXCEPT UNDER CONTROLLED CONDITIONS. Hazardous Decomposition Products:NONE

Waste Disposal Methods: IF MATL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE CHEMICAL LAND FILL IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. EMPTY CONTAINERS MAY BE INCINERATED OR DISCARDED AS GENERAL TRASH.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabilit y of this information to their particular situation.