

PRATT & LAMBERT, INC. -- LACQUER ACRYLIC OLIVE DRAB 14084 ID794416 -- 8010-00-935-7069  
===== Product Identification =====

Product ID:LACQUER ACRYLIC OLIVE DRAB 14084 ID794416

MSDS Date:10/14/1988

FSC:8010

NIIN:00-935-7069

MSDS Number: BHMYX

=== Responsible Party ===

Company Name:PRATT & LAMBERT, INC.

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

Info Phone Num:316-733-1361

Emergency Phone N

um:316-733-1361

Preparer's Name:W.A. ELLISON

CAGE:FO127

=== Contractor Identification ===

Company Name:PRATT & LAMBERT, INC/BUFFALO, NY 14240

Box:22

CAGE:FO127

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

===== Hazards Identification =====

Routes o

f Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:REPEAT/PROLONGED OVEREXP TO RELATIVELY  
INSOLUBLE CHROMATES-LUNG CANCER. TOLUENE-LIVER DAM. CHRONIC OVEREXP  
TO LEAD-SEVERE DAMAGE TO BLOOD FORMING, NERV, URINARY& REPROD SYS.  
CHAR: LOSS APPETITE, METAL LIC TASTE, ANXIETY, CONSITP, NAUSEA,  
WEAK, INSOMNIA, HEADACHE, MUSCLE & JOINT PAIN, FINE TREMORS,  
NUMBNESS, DIZZ, HYPER

Explanation of Carci  
nogenicity:IN LAB ANIMALS: KIDNEY, LUNG & SPLEEN  
DAMAGE.

Effects of Overexposure:SWALLOW: GASTROINTESTINAL IRRI, NAUSEA, VOMIT,  
ASPIRATION INTO LUNG, CHEM PNEUMONITITS, CAN BE FATAL. INHAL:  
NOSE/THROAT IRRI. HIGH CONCENT CAUSE ACUTE CENT NERV SYS DEPRESSION  
CHAR HEADACHE, DIZZ, NA USEA & CONFUSION. EYE: IRRI. SKIN: DEFATTNG  
AND IRRITATION OF THE SKIN. INHAL OF CAN CAUSE ASPHYXIATION OR  
ANESTHETIC.

Medical Cond Aggravated by Exposure:PREEXISTING KIDNEY CONDITIONS MAY BE

AGGRAVATED BY EXPOSURES TO LEAD. PROLONGED/REPEATED OCCUP OVEREXP  
TO SOLVENTS WITH PERMANENT BRAIN & NERV SYS DAMAGE. MISUSE MAY BE  
HARMFUL AND/OR FATAL

=====  
===== First Aid Measures =====

First Aid:SWALLOW: DO NOT INDUCE VOMIT. CALL POISON CONTROL  
CENTER/HOSPITAL EMERG ROOM/PHYSICIAN IMMED. INHAL: REMOVE TO FRESH  
AIR IMMED. BREATH HAS STOPPED, GIVE CPR. KEEP WARM, QUIET. GET MED  
ATTN IMMED. EYE: FLUSH W/LARGE AMTS OF WATER, LIFTING LIDS O  
CCAS,  
FOR AT LEAST 15 MIN. GET MED ATTN. SKIN: REMOVE CONTAM CLOTHES.  
WASH AFFECT AREA W/SOAP & WTR. OBTAIN MED ATTN. IRRI PERSISTS.

=====  
===== Fire Fighting Measures =====

Flash Point:24 F/-4.44 C

Extinguishing Media:NFPA CL B FIRE EXTING (CARBON DIOXIDE, ALL PUR DRY  
CHEM OR ALCOHOL FOAM) FOR EXTING FLAMM LIQ FIRES. POLYMER FOAM  
PERFER

Fire Fighting Procedures:SELF CONTAIN BREATH APPARATUS. WTR MAY BE  
INEFFECT, USED TO COOL TO PREVENT PRESSURE

BUILD-UP/AUTO-IGNITE/EXPLOSION FROM HEAT. IF WTR USED, FOG NOZZLES  
PREFERR

Unusual Fire/Explosion Hazard:EMERG COND, OVEREXP TO DECOMP MAY CAUSE  
HEALTH HAZARD. SYMP MAY NOT BE IMMED APPARENT. OBTAIN MED ATTN.  
WARNING! FLAMMABLE

===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAY. ELIM ALL IGNITE SOURCES.  
DIKE & CONTAIN SPILL W/INERT MATERIAL. TRANSFER LIQ TO COVER METAL  
CONTAIN FOR RECOVERY/DISPOSAL. USE NON-  
SPARK TOOS. PREVENT CONTAM  
OF SEWERS, STREAMS & GROUNDWATER WITH SPILLED MATERIAL OR USED  
ABSORB

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 95 DEG F. STORE  
LARGE QUANTITIES IN COMPLIANCE WITH OSHA 29CFR1910.106 DO NOT TAKE  
INTERNALLY. CLOSE CONTAINER AFTER EACH USE.

Other Precautions:KEEP AWAY FROM CHILDREN. DO NOT BREATHE SANDING DUST.  
WASH HANDS & FACE THOROUGHLY BEFORE EATING/DRINKING. EMPTY CON

T

MUST NOT BE WASHED & RE-USED FOR ANY PURPOSE. CONT GROUNDED/BONDED  
TO RECEIVING CO NT. DO NOT WELD/BRAZE/CUT EMPTY CONT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:GEN EXP TO ORGANIC CHEM MAY NOT REQUIRE RESPIR  
PROTECT IF WELL VENT AREA. RESTRICTED VENT AREA NIOSH APPROVED CHEM  
CARTRIDGE RESPIR MAY BE REQUIRED. SPRAYNG: MECH PREFILTER MAY ALSO  
BE REQUIRED. CONFIDED: NIOSH APPR AIR SUPPLIED RESPIRATOR

Ventilation:GEN DILUTIO

N & LOCAL EXHAUST VENT SUFFICIENT VOL/PATTERN

KEEP CONCEN HAZARD INGRED BELOW THE LOWEST EXPOSURE LIMIT

Protective Gloves:PROLONGED USE, SOLVENT IMPERMEABLE GLOVE

Eye Protection:SAFETY GLASSES/CHEM GOGGLES/FACE SHIELDS

Other Protective Equipment:AS REQUIRED TO PREVENT SKIN CONTACT. NOT  
LIKELY TO BE NEEDEDSEE OSHA STANDARD FOR LEAD.

Work Hygienic Practices:GOOD PERSONAL HYGIENE PRACTICES

Supplemental Safety and Health

THIS PRODUCT, IF DISCARDED DIRECTLY, WOULD BE CLASSIFIED A HAZARDOUS

WASTE BASEDON ITS IGNITABILITY CHAR. THIS PRODUCT CONTAINS LEAD, WHICH, IF PRESENT IN WASTE AT 5.0 MG/L OR MORE AFTER BEING EXTRACTED, IS CONSIDERED EP TOXIC, AND THEREFORE A HAZARDOUS WASTE UNDER RCRA REGULATIONS. HAZARD WASTE NO. D008

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 175-232 F  
Vapor Density: > AIR  
Evaporation Rate & Reference: SLOWER THAN ETHER  
Percent Volatiles by Volume: 69

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
AVOID EXCESSIVE HEAT & SOURCES OF IGNITION. STRONG ACIDS OR ALKALINE MATERIALS  
Stability Condition to Avoid: NORMALLY STABLE  
Hazardous Decomposition Products: BURNING, INCLUDE WHEN HEATED BY WELD/CUTTING, WILL PRODUCE SMOKE, CARBON MONOXIDE, CARBON DIOXIDE. OXIDES OF LEAD-GENERAL  
Conditions to Avoid Polymerization: KEEP AWAY FROM HEAT SPARKS AND FLAME

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF ACCORD TO FEDERAL, STATE & LOCAL LAWS. INCINERATE ONLY EPA PERMITTED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. OBSERVE PRECAUTIONS FOR FLAMMABLE DISPOSAL. CONTAMINANTS ABSORBED IN HAZARDOUS WASTE LANDFILL. IN ACCORD WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.