

OMEGA CHEMICAL CORPORATION -- CLEANING COMPOUND COMBUSTIBLE PC 44 B TY I --
6850-00-965-2331

=====
===== Product Identification =====

Product ID:CLEANING COMPOUND COMBUSTIBLE PC 44 B TY I

MSDS Date:10/01/1989

FSC:6850

NIIN:00-965-2331

MSDS Number: BHMZT

=== Responsible Party ===

Company Name:OMEGA CHEMICAL CORPORATION

Address:6935 W. 62ND ST.

City:CHICAGO

State:IL

ZIP:60638

Country:US

Info Phone Num:31

2-586-8000

Emergency Phone Num:312-586-8000

Preparer's Name:NONE LISTED

CAGE:OB5U9

=== Contractor Identification ===

Company Name:OMEGA CHEMICAL CORD; SUCCESSOR TO MSCI

CAGE:OB5U9

Company Name:OMEGA CHEMICAL PROD GP, FINE ORGANICS CORP

Address:6935 WEST 62ND STREET

City:CHICAGO

State:IL

ZIP:60638

Country:US

Phone:312-586-8000, 800-424-9300

CAGE:OB5U9

=====
===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBONS

CAS:64741-44-2

ACGIH TLV:100 PPM

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION OF HIGH VAPOR
CONCENTRATIONS MAY CAUSE DIZZINESS, WEAKNESS, NAUSEA. EXTREME
CONCENTRATION IN CONFINED SPACE MAY CAUSE UNCONSCIOUSNESS. EXCESS OR
RE- PEATED CONTACT WITH SKIN MAY CAUSE IRRIT ATION. CAN CAUSE
IRRITATION TO EYES ONCONTACT.

Effects of Overexposure:DIZZIN
ESS, WEAKNESS, AND NAUSEA

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. SKIN: WASH WITH SOAP &
WATER. EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CALL PHYSICIAN. AND
FOR INGESTION: DO NOT INDUCE VOMIT- ING. CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:135 F/ 57.22 C
Lower Limits:NOT EST.
Upper Limits:NOT EST.
Extinguishing Media:CO2, FOAM
Fire Fi
ghting Procedures:AVOID EXCESSIVE WATER SPRAY APPLICATION
Unusual Fire/Explosion Hazard:NONE, TREAT AS HYDROCARBON FIRE

=====
Accidental Release Measures
=====

Spill Release Procedures:OUTDOORS, ADD SAND, EARTH OR OTHER SUITABLE
ABSOR-BENT TO SPILL AREA. KEEP PRODUCT OUT OF SEWER & WATER
COURSES BY DIKING OR IMPOUNDING. INSIDE, ELIMINATE ALL IGNITION
SOURCES & REMOVE WITH ABSOR BENT MATERIAL

=====
Handling and Storage
=====

Handling and Storage Precautions:REASONABLE CARE AND PRECAUTIONS WHEN
HANDLING IS STRONGLY RECOMMENDED.
Other Precautions:USE IN WELL VENTILATED AREAS. REMOVE AND LAUNDER
CONTAMINATED CLOTHING BEFORE REUSE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:CARTRIDGE TYPE FOR SOLVENTS REQUIRED WHEN
CONCENTRATIONS ARE ABOVE TLV
Ventilation:LOCAL EXHAUST RECOMMENDED AND MECHANICAL RECOMMENDED
Protective Gloves:NEOPRENE
Eye Protectio

n:SAFETY GOGGLES &/OR FACE SHIELD
Other Protective Equipment:PROTECTIVE APRON OR SPLASH GUARD
Work Hygienic Practices:REMOVE & LAUNDER ALL CONTAMINATED CLOTHING
BEFORE REUSE
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:250 F
Melt/Freeze Pt:M.P/F.P Text:-20 F
Vapor Pres:NOT DET.
Vapor Density:NOT DET.
Spec Gravity:0.86
Evaporation Rate & Reference:< 1
Solubility in Water:MISCIBLE
Appearance and Odor:AM
BER LIQUID, SOLVENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:PARTIAL COMBUSTION MAY PRODUCE
CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH 43USG3261 ET.
SEQ. RECA & ANY LOCAL, STATE OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the comp
ling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.