View NSN Online: https://aerobasegroup.com/nsn/8040-01-101-5662

## ABLESTIK LABORATORIES -- ABLEBOND 36-2 -- 8040-01-101-5662

Product ID: ABLEBOND 36-2 MSDS Date:01/14/1988 FSC:8040 NIIN:01-101-5662 MSDS Number: BHNZW === Responsible Party === Company Name: ABLESTIK LABORATORIES Address:833 WEST 182 STREET City:GARDENA State:CA ZIP:90248 Info Phone Num:213-532-9341 Emergency Phone Num:213-532-9341 CAGE:9V874 === Contractor Identi fication === Company Name: ABLESTIK LABS Address:833 WEST 182ND ST Box:9067 **City:GARDENA** State:CA ZIP:90248 Country:US Phone:213-532-9341 CAGE:9V874 Company Name: ABLESTIK LABS SUB OF NATIONAL STARCH AND CHEMICAL Address:20021 SUSANA RD Box:City:COMPTON State:CA ZIP:90221 Country:US Phone:310-764-4600 CAGE:21109

Ingred Name:SILVER (SARA III) CAS:7440-22-4 RTECS #:VW3500000 Other REC Limits:N/K OSHA PEL:0.01 MG/M3 ACGIH TLV:0.

1 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name: VINYL CYCLOHEXENE DIOXIDE CAS:106-87-6 RTECS #:RN8640000 Other REC Limits:N/K OSHA PEL:S, 10 PPM ACGIH TLV:S, 10 PPM ;A2; 9192 Ingred Name: RESORCINOL DIGLYCIDYL ETHER (RDE). LD50 ORAL RAT 1.57 G/KG:LD50 ORAL MICE 0.98 G/KG:LD50 ORAL RABBIT 1.24 G/KG. CAS:101-90-6 RTECS #:VH1050000 Other REC Limits:N/K OSHA PEL:N/K ACGIH TLV:N/K Ingred Name:4,4'-ISOPROPYLIDENEDIPHENOL (SARA III) CAS:80-05-7 RTECS #:SL6300000 Other REC Limits:N /K LD50 LC50 Mixture:N/K Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic: MAY CAUSE DERMAT, SENSIT, SKIN CANCER.RESORCINOL DIGLYCIDYL ETHER:REPEAT/PROLONGED SKIN CONTACT WILL CAUSE SEVERE INJURY. Explanation of Carcinogenicity: VINYL CYCLOHEXENE DIOXIDE: ACGIH A2=SUSP HUMAN CARC (1989).NO ADEQUATE DATE TO ALLOW AN EVALUATION OF CARC IN (SEE SUPP) Effects of Overexposure:EYE S:EXTREME IRRIT.SKIN:MAY CAUSE DERMAT, SENSIT, RASH. ABSORB-MAY CAUSE NAUSEA, VOMIT, OTHER ILLNESS SIGNS.VINYLCYCLOHEXENE DIOXIDE-SWELL, REDNESS LIKE BURN.RESORCINOL DIGLYCIDYL ETHER-SEVERE IRRIT.REPEAT/ PROLONG CONTACT CAUSE SEVERE INJURY.SYMP LIKE POISON IVY/SUMAC.INGEST:SLIGHT ORAL TOXICITY.INHAL:HARMFUL TO RESP SYS. Medical Cond Aggravated by Exposure:N/K 

First Aid:EYES:FLUSH WITH WATER FOR AT LEAST 15 MINU

**TES.GET MEDICAL** ATTENTION.SKIN:WASH IMMEDIATELY WITH SOAP & WATER.IF IRRITATION PERSISTS.GET MEDICAL ATTENTION IMMEDIATELY.INGESTION:GET MEDICAL ATTENTION IMM EDIATELY AND SHOW INSERT CARD.INHALATION:REMOVE TO FRESH AIR IMMEDIATELY. Flash Point Method:COC Flash Point:110C,213.8F Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL **PROTECTIVE EQUIPM** ENT. Unusual Fire/Explosion Hazard:NONE KNOWN.HAZARDOUS DECOMPOSITION PRODUCTS (INCLUDING COMBUSTION PRODUCTS):CARBON MONOXIDE &/OR CARBON DIOXIDE. Spill Release Procedures: WIPE UP WITH SOLVENT SATURATED TOWELING AND COLLECT IN AN APPROPRIATE CONTAINER FOR DISPOSAL. Neutralizing Agent:N/K Handling and Storage Precautions: STORE REGRIGERATED AT A LL TIMES.VENT CURING OVEN TO OUTDOORS.SKIN BARRIER CREAM EFFECTIVELY PROTECTS MOST PERSONNEL ROUTINELY HANDLING THESE INGRED. Other Precautions: DURING MAINTENANCE OF CONTAMINATED EQUIPMENT AVOID CONTACT WITH SKIN, EYES, CLOTHING, GOOD HOUSEKEEPING IS REQUIRED. AVOID INHALATION OF VAPORS. Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN. Ventilation:LOCAL AND GENERAL VEN TILATION NECESSARY TO KEEP AIR CONCENTRATION BELOW TLV .VENT CURING OVEN TO OUTDOORS. Protective Gloves: RUBBER Eye Protection: CHEMICAL WORKERS GOGGLES . Other Protective Equipment: PROTECTIVE EQUIPMENT TO COVER EXPOSED AREAS. Work Hygienic Practices: GOOD INDUSTRIAL HYGIENE PRACTICES SHOULD BE FOLLOWED WHEN HANDLING THIS PRODUCT. Supplemental Safety and Health

VOLATILE BY WT: