

THE FLAMEMASTER CORPORATION -- CS 3201, PART A -- 8030-00-275-8117

=====  
Product Identification  
=====

Product ID:CS 3201, PART A

MSDS Date:05/03/1989

FSC:8030

NIIN:00-275-8117

Kit Part:Y

MSDS Number: BHQJH

=== Responsible Party ===

Company Name:THE FLAMEMASTER CORPORATION

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Phone Num:818-98

2-1650

CAGE:6N186

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

Company Name:THE FLAMEMASTER CORPORATION

CAGE:6N186

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE KNOWN

Routes of Entry: Inhalation:

NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NON-ESTABLISHED. POSSIBLE SKIN IRRITATION AFTER PROLONGED CONTACT, WITH RESULT- ING DERMATITIS. NOT CONSIDERED TO BE A PRIMARY SKIN IRRITANT.

Explanation of Carcinogenicity:NONE KNOWN.

Effects of Overexposure:SKIN OR EYE IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH L

ARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.

SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING, CONSULT PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC

Flash Point:>200 F/ > 93 C

Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:NONE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR

REACTION WITH CURING AGENT, CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE THEN WITH SOAP AND WATER.

Neutralizing Agent:NONE KNOWN.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM STRONG ACIDS.

Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER HANDLING THIS PRODUCT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NOT REQUIRED

Ventilation:LOCAL EXHAUST; AIR. AND MECHANICAL (GENERAL) FAN.  
Protective Gloves:RUBBER GLOVES.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.  
Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS  
PRODUCT.  
Supplemental Safety and Health  
NONE KNOWN.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA  
Melt/Freeze Pt:M.P/F.P Text:SEE BELOW  
Vapor Pres:NIL  
Vapor Density:NIL  
Spec Gravity:1.50  
Evaporation Rate & Reference:< 1 (BUTYL ACETATE = 1)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR. (MELTING POINT:  
LIQUID AT ROOM TEMP.).

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS.  
Stability Condition to Avoid:OPEN FLAME.  
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

===== Disposal Considerations =====  
=====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS SOLID  
WASTE PER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek

competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.