View NSN Online: https://aerobasegroup.kr/nsn/9330-01-208-0985

Product ID:STA-FOAM 302F, PART-A MSDS Date:06/01/1990 FSC:9330 NIIN:01-208-0985 Kit Part:Y MSDS Number: BHRKJ === Responsible Party === Company Name: EXPANDED RUBBER AND PLASTIC CORP Address:14000 S WESTERN AVE **City:GARDENA** State:CA ZIP:90249-3008 Country:US Emergency Phone Num:213-324-6 692 OR 213-321-4260 CAGE:25598 === Contractor Identification === Company Name: EXPANDED RUBBER AND PLASTIC CORP Address:14000 S WESTERN AVE Box:City:GARDENA State:CA ZIP:90249-3008 Country:US Phone:310-321-4260 CAGE:25598

Ingred Name:POLYESTER RESIN BLEND Fraction by Wt: >90% Other REC Limits:NONE ESTABLISHED

Ingred Name:METHYLMORPHOLINE CAS:109-02-4 RTECS #:QE5775000 Fraction by Wt: 200F/93C Extinguishing Media:WATER FOG, CA RBON DIOXIDE, FOAM, DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS MUST WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: OXIDES OF CARBON AND NITROGEN WILL BE GENERATED. Spill Release Procedures: USE OIL ABSORBING COMPOUND AND FLUSH AREAS WITH HOT WATER. CLEAN UP CREW MUST WEAR FULL PROTECTIVE CLOTHING AND EQUIPMENT. Neutralizing Agent:NOT APPLICABLE. ======= Handling and Storage Precautions: STORE MATERIAL IN TIGHTLY CLOSED CONTAINERS IN AREAS WHERE TEMPERATURES DO NOT EXCEED 120F. Other Precautions: SHOWERS AND EYE WASH STATIONS MUST BE AVAILABLE. Respiratory Protection: WHEN MATERIAL IS HOT, USE RESPIRATOR WITH CARTRIDGES FOR ORGANIC VAPORS.

HCC:T3

Vapor Pres:NIL

Spec Gravity:1.1 pH:7

Solubility in Water:SOLUBLE

Protective Gloves: RUBBER

Supplemental Safety and Health

GLOVES.

Appearance and Odor:LIGHT BROWN VISCOUS LIQUID. MILD ODOR.

Ventilation: USE GENERLA MECHANICAL VENTILATION.

Other Protective Equipment:NONE STATED Work Hygienic Practices:NONE STATED

Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE MASK.

PART B IS REGULATED WIHT HAZARDOUS CLASS "POISON B".

KEY1:L1. THIS IS PART A OF A TWO PART KIT. PART A IS NOT REGULATED,

==

Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS, ISOCYANATES, ACIDS. Stability Condition to Avoid:AVOID STORAGE TEMPERATURES ABOVE 120F. Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN.

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (p

rovided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.