

TECHNICAL WIRE PRODUCTS, INC. -- CONDUCTIVE EPOXY P/N 72-00008 -- 8040-00-764-7475
===== Product Identification =====

Product ID:CONDUCTIVE EPOXY P/N 72-00008
MSDS Date:10/01/1987
FSC:8040
NIIN:00-764-7475
Kit Part:Y
MSDS Number: BHXTG
=== Responsible Party ===
Company Name:TECHNICAL WIRE PRODUCTS, INC.
Address:129 DERMODY STREET
City:CRANFORD
State:NJ
ZIP:07016
Country:US
Info Phone Num:201-272-5500

Emergency Phone Num:201-272-5500
CAGE:53217
=== Contractor Identification ===
Company Name:TECHNICAL WIRE PRODUCTS INC DBA TECKNIT INC
Address:320 N NOPAL ST
City:SANTA BARBARA
State:CA
ZIP:93103-3225
Country:US
CAGE:53217
Company Name:TECHNICAL WIRE PRODUCTS INC, DBA. TECKNIT
Address:129 DERMODY ST
Box:City:CRANFORD
State:NJ
ZIP:07016
Country:US
Phone:908-272-5500
CAGE:07700

===== Composition/Information on Ingredients =====

Ingred Name:SILVER (SARA III)
CAS:7440-22-4

RTECS #:VW3500000
Fraction by Wt: 76%
OSHA PEL:0.01 MG/M3
ACGIH TLV:0.1 MG/M3; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:CIBA GEIBY ARALDITE 6010
CAS:25068-38-6
RTECS #:SL6475000
Fraction by Wt: 21%

Ingred Name:N-BUTYL GLYCIDYL ETHER (BGE)
CAS:2426-08-6
RTECS #:TX4200000
Fraction by Wt: 2%
OSHA PEL:50 PPM
ACGIH TLV:25 PPM; 9293

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:YES
Health Hazards Acute and Chronic:O
VEREXPOSURE MAY CAUSE HEADACHE,
NAUSEA, DIZZINESS, MODERATE IRRITATION TO SKIN AND EYES.
Explanation of Carcinogenicity:N-BUTYLGLYCIDYLETHER (BGE) (2426-08-6)
TWA = 25 PPM
Effects of Overexposure:HEADACHE, NAUSEA, DIZZINESS, MODERATE
IRRITATION TO SKIN AND EYES.
Medical Cond Aggravated by Exposure:SENSITIVE EYES AND SKIN

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER FOR 15 MIN.
SKIN: WASH WITH SOAP AND WATER AND APPLY SKIN
CREAM. INHAL: REMOVE TO FRESH AIR,
RESTORE BREATHING IF REQUIRED.INGST: DO NOT INDUCE VOMITING, CALL
PHYSICIAN

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:119F/48.33C
Lower Limits:NE
Upper Limits:NE
Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spil

