View NSN Online: https://aerobasegroup.com/nsn/6850-00-264-6571

## ENGELHARD CORP. -- DESICCITE 25 -- 6850-00-264-6571

Product ID:DESICCITE 25 MSDS Date:09/29/1989

FSC:6850

NIIN:00-264-6571

MSDS Number: BHYCD === Responsible Party ===

Company Name: ENGELHARD CORP.

Address:6801 COCHRAN DR

City:SOLON State:OH ZIP:44139 Country:US

Info Phone Num:216-349-7300

Emergency Phone Num:216-349-7300/800-328-0443

CAGE:0FDV7 === Contractor Id entification ===

Company Name: ENGELHARD CORP.

Address:6801 COCHRAN DR

Box:City:SOLON

State:OH ZIP:44139 Country:US

Phone:216-349-7300

CAGE:0FDV7

======= Composition/Information on Ingredients ========

Ingred Name: BENTONITE (INORGANIC CLAY)

CAS:1302-78-9


RTECS #:CT9450000 Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

OSHA PEL:5 MG/M3 (DUST) ACGIH TLV:5 MG/M3 (DUST)

Ingred Name: SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 1-3% Other REC Limit



Other Precautions:AVOID CONTACT WITH WATER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE. USE METHOD APPROPRI ATE TO MINIMIZE DUST. Protective Gloves:RUBBER GLOVES Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:HAVE EYEWASH FOUNTAIN AVAILABLE Work Hygienic Practices:AVOID CREATION OF DUSTY ENVIRONMENT. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:N1 Spec Gravity:2.0 Solubility in Water:NEGLIGIBLE Appearance and Odor:GREY TO OFF-WHITE 10-30 MESH GRANULES; ODORLESS  ==================================
ty Data ==========
Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES WHICH MAKE UP THE PRODUCT ITSELF ARE IRRITATING NUISANCE DUSTS. HYDROCARBONS AND OTHER MATERIALS MAY BE ABSORBED.
======== Disposal Considerations ===========
W ( B' IN ( I DIODOGE OF IN ACCORDANCE WITH ALL ADDITIONS

PROTECT FROM PHYSICAL

DAMAGE. PRODUCT BECOMES SLIPPERY WHEN WET.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULAT

## IONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.