

CREST INDUSTRIAL CHEMICALS -- PAINT STRIPPER 7 MIL-R-81294C -- 8010-00-142-9273

=====
Product Identification
=====

Product ID:PAINT STRIPPER 7 MIL-R-81294C

MSDS Date:01/02/1988

FSC:8010

NIIN:00-142-9273

MSDS Number: BHYGW

=== Responsible Party ===

Company Name:CREST INDUSTRIAL CHEMICALS

Address:6341 BEVERLY HILL

City:HOUSTON

State:TX

ZIP:77057

Country:US

Info Phone Num:780-1828

Emergency Phone Nu

m:780-1828

CAGE:77513

=== Contractor Identification ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77057-6500

Country:US

Phone:713-780-1828

CAGE:77513

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: < 37%

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHRO

MATE (SARA III)
CAS:7775-11-3
RTECS #:GB2955000
Fraction by Wt: < 2%
OSHA PEL:0.1 PPM CRO3;CEILING
ACGIH TLV:0.05 MG CR/M3; 9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:PHENOLIC BODIES
Fraction by Wt: < 16%
ACGIH TLV:5 PPM (SKIN)

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Explanation of Carcinogenicity:METHYLENE CHLORIDE AND HEXAVALENT
CHROMATES ARE LISTED AS CARCINOGENS.
Effects of Overexposu
re:IRRITATION OF NOSE AND EYES, SLIGHT NARCOSIS.

===== First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER,
OBTAIN MEDICAL ATTENTION

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:NONE
Extinguishing Media:CARBON DIOXIDE OR CHEMICAL FOAM.
Fire Fighting Procedures:THERMAL DECOMPOSITION WILL PRODUCE TOXIC
OXIDES OF CHLORINE, WEAR GAS MASKS.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. MOP UP SPILLAGE OR FLUSH TO
SEWER WITH WATER.

===== Handling and Storage =====

Handling and Storage Precautions:TRANSPORT AND STORE IN CLOSED
CONTAINERS AT TEMP- ERATURES UP TO 110 F.
Other Precautions:DO NOT STORE IN DIRECT RAYS OF SUN AND OPEN
CONTAINERS CAREFULLY TO AVOID SPURTING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FRESH AIR MASK
Ventilation:LOCAL EXHAUST
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Other Protective Equipment:SOLVENT RESISTANT APRONS
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:110 F
Melt/Freeze Pt:M.P/F.P Text:80%
Vapor Pres:350 MM HG
Vapor Density:>1 (AIR=1)
Spec Gravity:1.10 (H2O=1)
Evaporation Rate & Reference:>1 (BUTYL ACETATE=1)
Solubility in Water:APPRECIAB
LE
Appearance and Odor:VISCOUS YELLOW LIQUID PHENOLIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZERS.
Hazardous Decomposition Products:THERMAL DECOMPOSITION WILL PRODUCE
TOXIC OXIDES OF CHLORINE.

===== Disposal Considerations =====

Waste Disposal Methods:TREAT FOR PHENOLIC BODIES AND CHROMATE OR HAUL
TO LIQUID DUMP.

Disclaimer (provided with this information
by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.