

ELECTRO MAGNETICS, INC. -- 877433 D.C. POWER SUPPLY (MIL-P-19086) -- 6130-00-607-0728  
===== Product Identification =====

Product ID:877433 D.C. POWER SUPPLY (MIL-P-19086)

MSDS Date:10/15/1990

FSC:6130

NIIN:00-607-0728

MSDS Number: BHZGN

=== Responsible Party ===

Company Name:ELECTRO MAGNETICS, INC.

City:ELYRIA (OR POSSIBLE AVON OR AVON LAKE)

State:OH

Country:US

Preparer's Name:DGSC-SSH-HRN

CAGE:8

C270

=== Contractor Identification ===

Company Name:ELECTRO MAGNETICS, INC.

Box:City:ELYRIA

State:OH

Country:US

CAGE:8C270

===== Composition/Information on Ingredients =====

Ingred Name:CHLORODIPHENYL;54% CHLORINE (AROCHLOR 1254) (SARA III)

CAS:11097-69-1

RTECS #:TQ1360000

Other REC Limits:NONE SPECIFIED

OSHA PEL:S, 0.5 MG/M3

ACGIH TLV:S, 0.5MG/M3; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: I

nhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS AN ELECTRONIC POWER SUPPLY CONTAINING CAPACITORS WHICH USE POLYCHLORINATED CD BIPHENYL AS A DIELECTRIC. ELECTRIC SHOCK IS THE MOST LIKELY HAZARD. A LEAKING CAPACITOR IS THE HAZARD COVERED BY THIS MSDS.

Explanation of Carcinogenicity:POLYCHLORINATED BIPHENYL IS LISTED AS A SUSPECTED CARCINOGEN BY IARC (2A) AND NTP.

Effects of Overexposure:NO SIGNS

OR SYMPTOMS ARE EXPECTED TO APPEAR  
WITH ONE TIME CASUAL CONTACT DURING A CLEAN UP OPERATION WHEN A  
CAPACITOR LEAKS.

Medical Cond Aggravated by Exposure:NONE

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH  
SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE  
REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF  
NECESSARY. INGESTED:NOT AN EXPECTED EXPOSURE. IF ANY IRRITATION

PERSISTS OR IS SEVERE,SEE A DOCTOR.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH  
MEDIA APPROPRIATE FOR SOURCE OF FIRE.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE  
PRODUCTION OF HAZ  
ARDOUS DECOMPOSITION PRODUCTS. (AEROCHLOR OR  
POLYCHLORINATED BIPHENYL)

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH OIL DRY OR OTHER INERT MATERIAL.  
PACKAGE APPROPRIATELY FOR DISPOSAL.

Neutralizing Agent:NONE

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE AS APPROPRIATE FOR ELECTRONIC  
EQUIPMENT. PROTECT CAPACITORS FROM DAMAGE.

Other Precautions:WASH THOROUGHLY  
AFTER HANDLING. AVOID CONTACT WITH  
EYES ,SKIN, CLOTHING. DO NOT BREATHE CHEMICALS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR  
OR RESPIRATOR FOR ORGANIC VAPOR IF EXPOSURE IS ABOVE THE TLV/PEL.  
IF EXPOSED ABOVE 1000 PPM USE ONLY A SUPPLIED AIR RESPIRATOR. SEE

29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE  
Ventilation:NORMAL ROOM VENTILATION IS SUFFICIENT. SUPPLEMENT WIT

H

LOCAL EXHAUST IF PEL/TLV IS EXCEEDED.

Protective Gloves:NEOPRENE, PVA GLOVES RECOMMENDED.

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES

Other Protective Equipment:APRON AND WORK CLOTHING AS NEEDED TO MINIMIZE EXPOSURE.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT.

Supplemental Safety and Health

THIS MSDS COVERS HANDLING OF A CAPACITOR LEAKING POLYCHLORINATED BIPHENYL.

===== Physical/Chemical Properties =====

=

HCC:N1

pH:UNKNON

Percent Volatiles by Volume:UNKNON

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:LEAKAGE

Hazardous Decomposition Products:WHEN INVOLVED IN FIRE, POLYCHLORINATED BIPHENYL MAY EMIT HIGHLY TOXIC AND IRRITATING FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL REGULATIONS. POLYCHLORINATED BIPHENYL IS A HAZARDOUS SUBSTANCE AND MUST BE DISPOSED OF BY EPA APPROVED MEANS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify

and  
assume responsibility for the suitability of this information to their  
particular situation.