

PENRECO/DIV PENNZOIL/CORNELL-DUBILIER -- PENRECO SNOW -- 9150-00-250-0926

=====
Product Identification
=====

Product ID: PENRECO SNOW

MSDS Date: 11/13/1985

FSC: 9150

NIIN: 00-250-0926

MSDS Number: BJCQB

=== Responsible Party ===

Company Name: PENRECO/DIV PENNZOIL/CORNELL-DUBILIER

Address: 106 SOUTH MAIN STREET

City: BUTLER

State: PA

ZIP: 16001

Info Phone Num: (412) 756-0110

Emergency Phone Num: (412) 756-01

10

CAGE: KO856

=== Contractor Identification ===

Company Name: PENRECO, DIV OF PENNZOIL CO

Address: 700 MILIAM ST

Box: 2967

City: HOUSTON

State: TX

ZIP: 77252

Country: US

Phone: 800-245-3952

CAGE: 86459

Company Name: PENRECO/DIV PENNZOIL/CORNELL-DUBILIER

Address: 106 SOUTH MAIN STREET

City: BUTLER

State: PA

ZIP: 16001

Phone: (412) 756-0110

CAGE: KO856

=====
Composition/Information on Ingredients
=====

Ingred Name: MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS: 8012-95-1

RTECS #: PY8030000

O

ther REC Limits:10 MG/CUM STEL
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3/10 STEL;9192

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: NON-IRRITATION/BURNS. SKIN:
IRRITATION/BURNS. INHALATION: HAS A VERY LOW PRESSURE. INGESTION:
ABDOMINAL CRAMP, DIARRHEA, & LAXATIVE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:l
NHALATION: PROLONGED/REPEATED EXPOSURE TO OIL
MIST POSES A RISK OF PULMONARY DISEASE SUCH AS LUNG INFLAMMATION.
THIS CONDITION IS USUALLY ASYMPTOMATIC AS A RESULT OF REPEATED
SMALL ASPIRATIONS. SHORT NESS OF BREATH, & COUGH.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. SKIN: REMOVE
CONTAMINATED CLOTHING. WASH CONTAMINATED AREA THOROUGHLY W/SOAP &
WATER. INHALATION: REMOVE VICTIM FROM EXPOSURE
. IF BREATHING HAS
STOPPED OR IS IRREGULAR, ADMINISTER ARTIFICIALRESPIRATION/SUPPLY
OXYGEN IF IT'S AVAILABLE. IF VICTIM IS UNCONSCIOUS, REMOVE TO FRESH
AIR & SEEK MED ATT. INGESTION: DON'T INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:400F
Extinguishing Media:USE DRY CHEMICAL, FOAM, CO2
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE. WATER/FOAM MAY
FROTHING MAY OCCUR, ESPECIALLY IF SPRAYED INTO CONTA
INERS OF HOT,
BURNING LIQUID.
Unusual Fire/Explosion Hazard:WATER CAN BE USED TO COOL CONTAINERS
EXPOSED TO HEAT, FLAME. DENSE SMOKE MAY BE GENERATED WHILE BURNING.

===== Handling and Storage =====

Handling and Storage Precautions:CONSUMPTION OF FOOD/BEVERAGE SHOULD BE
AVOIDED IN WORK AREAS WHERE HYDROCARBONS ARE PRESENT.
Other Precautions:ALWAYS WASH HANDS/FACE W/SOAP & WATER BEFORE EATING,
DRINKING, OR SMOKING. DON'T USE COMPRESSED OXYGEN IN

HYDROCARBON
ATMOSPHERES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPOR OR MIST IS GENERATED WHEN THE MATERIAL IS HEATED OR HANDLED, USE AN ORGANIC VAPOR RESPIRATOR W/A DUST & MIST FILTER.

Ventilation:PROVIDE MECHANICAL/LOCAL EXHAUST VENTILATION TO KEEP